

1 Tablet Swasvin D Vyro (Virofight) -A Proven Solution for any 2 Viral Infection, Immunity and Inflammation

3 Dr. Ronak Naik

4 Received: 10 December 2019 Accepted: 3 January 2020 Published: 15 January 2020

5

6 **Abstract**

7 Viral infections commonly affect both the respiratory tract, upper and lower. The first
8 response of the immune system to the infection is Inflammation. This inflammation is
9 produced by eicosanoids and cytokines, which are released by injured or infected cells. The
10 immune modulation with Ayurvedic formulations as a possible therapeutic measures is need of
11 the hour nowadays. The ancient Indian medicinal system of Ayurveda has a scope of treating
12 many diseases by the theory of Rasayana, in other terms called preparations from plant or
13 herbal source, including immune modulatory properties. In this article, we want to validate
14 immunemodulatory, anti-inflammatory anti-viral role of Tablet Swasvin D vyro (Virofight)
15 with the reference of some previous work done. In conclusion, we can say that Swasvin D vyro
16 (Virofight) tablet is the best effective immune-modulatory, as it augments the cell-mediated as
17 well as humeral mediated immune response, it is antiviral as it can inhibit replication of
18 several viruses. It is anti-inflammatory by inhibiting various cytokine producing pathways, it
19 has anti-oxidant and antiulcer properties.

20

21 **Index terms**— immunomodulator, anti-inflammatory, antiviral, D vyro, virofight

22 **1 I.**

23 'Background urvival of the fittest' is the phrase what Darwinism theory of evolution said, indicating the natural
24 selection. In the world of microorganisms that attacks the human body in various ways, if we are fit, our
25 immunity is good, and we can easily tackle them. The Immune system protects from infection; in short it acts
26 as physical barrier and prevents from external pathogens like bacteria and viruses. The first response of the
27 immune system to the infection is Inflammation. This inflammation is produced by eicosanoids and cytokines,
28 which are released by injured or infected cells. Common cytokines include interleukins that are responsible for
29 communication between white cells; chemokine promotes chemo taxis and interferon that have anti-viral effects
30 1 .

31 Viral infections commonly affect both the respiratory tract, upper and lower respiratory tract. The respiratory
32 infections are commonly classified clinically according to syndrome common cold, bronchitis, croup, pneumonia
33 2 . The viruses mostly act through a direct invasion of epithelial cells of the respiratory mucosa. There is an
34 increase in both leucocytes infiltration and nasal secretions, includes proteins and immunoglobulin, suggesting
35 cytokines and immune mechanisms may be responsible 3 .

36 The immune modulation with Ayurvedic formulations as a possible therapeutic measures is need of the hour
37 nowadays. The ancient Indian medicinal system of Ayurveda has a scope of treating many diseases by the theory
38 of Rasayana, in other terms called preparations from plant or herbal source, including immune-modulatory
39 properties 4 . The basic concept of immune modulation practiced by Ayurvedic practitioners for centuries, as it
40 was mentioned in Ayurvedic ancient literature and Samhitas. The goal of immune enhancement achieved by
41 Ayurveda charyas by the use of the Rasayana concept. The toxic byproducts of impaired digestion is called
42 Aama, which clog the micro channels (Srotas) are considered as pathogenesis of Inflammation. The herbs,
43 which improve the process of digestion, digest the Aama and purifies the micro channels is considered as an
44 antiinflammatory. There are many such ayurvedic herbs, and herbal combinations are available in ayurvedic

45 literature, which is being used since ancient times to treat many acute as well as chronic inflammatory diseases.
46 When all consumed elements of the food not digested properly, it forms Aama, this forms Abnormal Digestive
47 juice (Sama Aahar rasa), which in term produces cells that are abnormal, and these abnormal cells are virus and
48 other pathogens 23 .

49 In this article, we want to validate the immunomodulatory, anti-inflammatory anti-viral role of Tablet Swasvin
50 D vyro (Virofight) manufactured by Ayushakti Ayurveda Pvt Ltd with the reference of some previous work done.

51 **2 II.**

52 **3 Name of Herbal Combination**

53 **4 Tinospora Cardifolia**

54 The ethanol extract of Tinospora studied on delayed-type hypersensitivity, humoral response to sheep red sheep
55 cells, skin allograft rejection, and phagocytic activity of the reticuloendothelial system in mice and found that
56 Tinospora cordifolia improved the phagocytic function without affecting the humeral or cellmediated immune
57 system 5 . T. cardifolia growing on Azadiracta indica possess immunomodulatory potential 6 .T. cardifolia
58 stimulates macrophages through TLR6 signaling and NF kappa B translocation, leading to cytokine production
59 7 .Immunomodulatory protein in the stem of T .cardifolia shows lymphoproliferative and macrophage activating
60 properties 8 .

61 **5 VI.**

62 **6 Punica Granatum**

63 Active compounds in P. granatum are punicalagin and ellagic acid, the first one attenuates the inflammatory
64 cytokine secretion, and cell adhesion of monocytes cells stimulated with airborne dust, hence can be used against
65 oxidative stress and inflammatory response by harmful airborne dust 9 .P. granatum peel polyphenols inhibits
66 LPS induced intracellular ROS production in RAW264.7 macrophages, Receptors of LPS, the mRNA and protein
67 expression of TLR4 also the anti-inflammatory mechanism is associated with the NF-Kb pathway 10 . P. granatum
68 peel's polyphenol compounds like punicalagi, ellagic acid, and hydroxylbenzoic acid from n-butanol and ethyl
69 acetate fractions are associated with antiviral activity against influenza virus 11 .When tannins like punicalagin,
70 punicalin, strictinin, and granatin were isolated from P.granatum, granatin was an effective anti-inflammatory by
71 decreasing the production of PGE 2 in early-stage and decreasing NO production in late stage 12 . Polyphenols
72 in P. granatum may prevent virus binding to the host cell receptors by blocking the cell surface receptors of the
73 virus surface ligands 13 .Punicalagin component of P. granatum has the virucidal capability; it inhibits influenza
74 virus RNA proliferation, inhibits the replication of influenza RNA virus independent of the virucidal activity
75 along with antioxidant effect 14 .

76 **7 VII.**

77 **8 Glycyrrhiza Glabra**

78 A phytocomponent glycrrhizin of G. glabra affects the cellular signaling pathways like protein kinase C, casein
79 kinase II, and transcription factor-like activator protein one and nuclear factor B. it's aglycone metabolite 18
80 glycrrhetic acid up-regulate expression of inducible nitrous oxide synthase and production of nitrous oxide in
81 macrophages, which inhibits replication of several viruses. In addition, Also glycrrhizin inhibits the absorption,
82 both during and after the absorption period, inhibits replication and penetration of SARC type coronavirus 15
83 . Glycrrhiza uralensis ethanol extract inhibits the production of RANTES, potent chemotactic cytokine for
84 monocytes, basophils, and T cells, typically detected in nasal secretions of patients with upper respiratory tract
85 infections, involved in epithelial cellmediated inflammation related to viral infection like influenza virus H1N1 16 .
86 Glycrrhetic acid has proved inhibitory to the replication of some RNA and DNA viruses in vitro. Glycrrhizin
87 is reported to be effective against varicella-zoster virus and human immunodeficiency virus in vitro 17 .Glabridin
88 and isoliquiritigenin the components of G.glabra exhibits anti-inflammatory property through inhibition of PGE
89 2, TXB 2 and, LTB 4 in mammalian cell assay system 18 .

90 **9 VIII.**

91 **10 Andrographis Paniculata**

92 A derivative derived from A paniculata, 14-?lipoyl and rographolide is effective in avian influenza A, ie.H9N2,
93 H5N1 and human influenza A.ie. H1N1 in vitro (19) .A. paniculata shows property to inhibit secretion of
94 RANTES by H1N1 infected A549 bronchial epithelial cells 20 . Ethanol extract of A. paniculata and and
95 rographolide inhibit expression of Epstein Barr virus lytic proteins, And rographolide inhibits the production
96 of the mature viral particle. It also shows a significant effect on cellular immunological indicators. It was
97 able to modulate the innate immune response by regulating activation of macrophages and regulate specific
98 antibody production as well as antigen-specific IL-4 producing splenocytes 21 . A. paniculata enhances the WBC

99 count, bone marrow cellularity and, ?-esterase positive cells, myelosuppression found to be reversed through
100 immunomodulatory activity, the weight of lymphoid organs, spleen and thymus were also increased 22

101 **11 Holerrhena Antidysenterica**

102 The alkaloids from *H.antidysenterica* have antidiarrheal effect as similar to the standard drug diphenoxylate, by
103 inhibiting the production of watery fluid. Also the astringent property of alkaloids reduces denaturing production
104 of protein tannate, which reduces the secretion from intestinal mucosa 24 .Hongoquercin A and Hongoquercin
105 B alkaloid derived exhibit moderate activity against Gram-positive bacteria like *E.coli* by passing through outer
106 cell membrane 25 .The decoction of *H. antidysenterica* prevents the attaching and effecting histopathology and
107 avert the bacteria from the opportunity to establish intimate contact with host cells and, thus, it prevents from
108 initiating the disease process 26 .

109 X.

110 **12 Zinziber Officinale**

111 Gingerols from Fresh ginger decreases more than 70% HRSV infection and rhinoviral infection in both A549
112 and HEp2 epithelial cell upper and lower respiratory tract, besides fresh ginger stimulates epithelial cells to
113 secrete IFN-? that contribute to the inhibition of virus replication also it has an antiinflammatory effect through
114 inhibition of production of prostaglandins and inflammatory cytokines 27 . Several sesquiterpenes like beta-
115 sesquiphellandrene were most active as an anti-viral agent against rhinovirus in vitro 28 .The rhizome aqueous
116 extract of *Z. officinale* significantly reduces the PBMC (Peripheral Blood Mononuclear Cells) proliferation assay,
117 it also inhibits the CD 14 monocyte surface marker in human PBMC showing anti-inflammatory and anti-viral
118 activity 29 .

119 **13 XI.**

120 **14 Pueraria Tuberosa**

121 Isoorientin was isolated from tubers of *P.tuberosa* was identified as a COX 2 inhibitor, which showed potent
122 anti-inflammatory properties in vitro on mouse macrophage cell line, RAW264.7, also it is effective in reducing
123 the inflammation in vivo on paw edema and air pouch mouse models 30 . Due to the effect of some isoflavones like
124 puerarin, daidzein and genistein, *P. tuberosa* holds a promising therapeutic potential as an immunomodulator.
125 Also *P. tuberosa* extracts augmented some innate as well as humeral immune responses in rats 31 . Anti-
126 inflammatory mechanism of Mangiferin extracted from *P.tuberosa* was confirmed via inhibiting the NF-Kb
127 signaling, COX-1, COX-2, and inactivation of NLRP3 inflammosomes 32 . Tuberosin is one of the active
128 compounds in *P.tuberosa*, which have anti-inflammatory effect by inhibiting the free radical scavengers, it also
129 has metal chelation property, and also it shows anti-oxidant property 33 . The ethanoic extract of *P.tuberosa*
130 increases the phagocytic capacity of macrophages, inhibits both cell-mediate immunity and humeral immunity
131 suggesting a suppressive effect on adaptive immunity without affecting the innate immune system and bone
132 marrow proliferation 34 .

133 **15 XII.**

134 **16 Asparagus Racemosus**

135 Extract of *A. racemosus* is recommended for the use of positive immunomodulator I normal and immune-
136 compromised broiler chicks as it augments the humoral and cell-mediated immune response providing better
137 protection against infection by a rise in HI antibody 35 . Steroidal saponins like Shatavarin IV, Immunoside
138 significantly increases CD 3 + and CD 4 / CD 8+ suggesting T cell activation, also the regulation of Th 1 (IL -2,
139 IFN-g) and Th 2 like IL -4 cytokines suggesting activated lymphocytes ultimately showing an immunomodulatory.
140 36 The aqueous extract of *A.racemosus* significantly inhibits suppression of chemotactic activity and production
141 of IL -1, and TNF-? by murine macrophages 37 .

142 **17 XIII.**

143 **18 Ocimum Sanctum**

144 *O. sanctum* leaves when steam distilled shows modification in humoral immune response in albino rats may be
145 due to antibody production, the release of mediators of hypersensitivity reaction and tissue response to mediators,
146 also fixed oils and lonolenic acid indicates significant anti-inflammatory activity against PGE- ?? 38 . It inhibits
147 inflammation in rats by affecting the cyclo-oxygenase and lipo-oxygenase pathways, seed oils shows maximum
148 percentage inhabitation of leukotriene induced paw edema 39 .*Ocimum sanctum* seed oil appears to modulate both
149 humoral and cell mediated immune response and this immunomodulatory response is mediated by GABAergic
150 pathways 40 . Crude extract derived from *O.sanctum* leaves may inhibit the viral intracellular multiplication and
151 masking/blocking of HA glycoprotein, terpenoid effective in virucidal and therapeutic activity, and polyphenol
152 for prophylactic activity against influenza virus H9H2 virus in ovo model, hence crude extract from the leaves of

22 DISCUSSION

153 Ocimum sanctum leads to a reduction in H9N2 influenza virus in assessing the all three; virucidal, therapeutic
154 and prophylactic activity 41 .
155 XIV.

156 19 Solanum Xanthocarpum

157 The methanolic extract of Solanum nigrum has anti-inflammatory activity. Solanine showed the most potent
158 inhibitory activity against the LPS-induced NO production in murine RAW264.7 43 .
159 XV.

160 20 Jasminum Grandiflorum

161 The extract of leaves of J.grandiflorum possesses the anti-ulcer potential as well as antioxidant activity. It reduces
162 gastric fluid volume, acidity and increases the pH of the gastric fluids; which proves antisecretory 44 . Leaves
163 extract to decrease the ulcer index, increase pH, reduces free and total acidity, gastric Year 2020Global Journal
164 of Medical Research Volume XX Issue V Version I (D D D D) B © 2020 Global Journals
165 volume proving it's an anti-secretory and hence antiulcer 45 . Hydro alcoholic extract of J.grandiflorum shows
166 Anti-inflammatory and anti-conversant acivity 46 .

167 21 XVI.

168 22 Discussion

169 Nowadays, various medicinal plants and herbs are attracting interest in the development of new, more effective,
170 and specific agents, as they may be useful in the production of phytochemicals that have activity against microbes.
171 These plants in the form of decoctions, preparations, essential oils, and extracts widely used in ancient Indian
172 medicine. People are preferring the use of Ayurvedic medicines as an alternate therapy for many chronic diseases
173 as well as acute diseases nowadays. Though always there is a question, how exactly ayurvedic medicines works,
174 by which pathway, or by which mechanism it attack on the microorganism. This manuscript was conducted just
175 to justify the mechanism of our medicine by using some modern tools.

176 In conclusion, we can say Tinospora cardifolia improved the phagocytic function of the reticuloendothelial
177 system without affecting the humeral or cell-mediated immune system (Atal CK et al. 1986, 5)T. cardifolia
178 possesses immunomodulatory potential (Narkhede AN et al. 2014,6). It stimulates macrophages through TLR6
179 signaling and NF kappa B translocation, leading to cytokine production (Shyma K et al. 7). An active compounds
180 in P. granatum, punicalagin, and ellagic acid, the first one attenuates the inflammatory cytokine secretion hence
181 can be used against oxidative stress and inflammatory response by harmful airborne dust (Soojin Parket al; 2016,
182 9). Peel polyphenols inhibit LPS induced intracellular ROS production in RAW264.7 macrophages, Receptors
183 of LPS, the mRNA and protein expression of TLR4 (Du, Lin,et al; 2019, 10). punicalagi, ellagic acid and
184 hydroxyl-benzoic acid from n-butanol and ethyl acetate fractions are associated with antiviral activity against
185 influenza virus (Mohammad-Taghi et al. 2019,11). Tannin, like granatin, is an effective antiinflammatory by
186 decreasing the production of PGE 2 in the early-stage and decreasing NO production in latestage (Lee, C.J;
187 2016, 12). Polyphenols in P. granatum may prevent virus binding to the host cell receptors by blocking the
188 cell surface receptors of the virus surface ligands (Howell ABet al; 2013, 13). Punicalagin component has the
189 virucidal capability; it inhibits influenza virus RNA proliferation, inhibits the replication of influenza RNA
190 virus independent of the virucidal activity (Haidari, M, et al.2009, 14). Glycrrhizin Up regulates expression of
191 inducible nitrous oxide synthase and production of nitrous oxide in macrophages, which inhibits replication of
192 several viruses, inhibits replication and penetration of SARC type coronavirus (J 1998, 25). Gingerols from Fresh
193 ginger decreases more than 70% HRSV infection and rhinoviral infection in both A549 and HEp2 epithelial cell
194 upper and lower respiratory tract, secrete IFN-? that contribute to the inhibition of virus replication also it has
195 anti-inflammatory (J.S. Chang et al.2013, 27). Isoorientin was isolated from tubers of P.tuberosa was identified
196 as a COX 2 inhibiter, which showed potent anti-inflammatory properties in vitro on mouse macrophage cell line,
197 RAW264.7 (Kotha Anilkumar et al. 2017,30). Isoflavones like puerarin, daidzein, and genistein, P. tuberosa are
198 immunomodulator. Also P. tuberosa extracts augmented some innate as well as humeral immune responses in
199 rats (A. K. Majiet al, 31)Extract of A.recemosus is recommended for the use as positive immunomodulator I
200 as it augments the humoral and cell mediated immune response (Kumari R et al.2012,35). Steroidal saponins
201 like Shatavarin IV, Immunoside significantly increases CD 3 + and CD 4 /CD 8+ suggesting T cell activation,
202 also regulation of Th 1 (IL -2, IFN-g) and Th 2 like IL -4 cytokines suggesting activated lymphocytes ultimately
203 suggesting immunomodulatory effect of A.recemosus (Manish Gautam et al. 2009,36). Sanctum leaves when
204 steam distilled shows modification in humoral immune response in albino rats due to antibody production,
205 release of mediators of hypersensitivity reaction and tissue response to mediators, also fixed oils and lonolenic acid
206 indicates significant anti-inflammatory activity against PGE-2 (S Mondal et al;2009). It inhibits inflammation
207 in rats may be it affects the cyclooxygenase and lipo-oxygenase pathways (P. K Mediratta et al. 2002).

208 **23 XVII.**

209 **24 Result**

210 We can say that Swasvin D vyro (Virofight) tablet is the best effective immunomodulator, as it augments the
211 cell mediated as well as humeral mediated immune response, it is antiviral as it can inhibit replication of several
212 viruses, and it is anti-inflammatory by inhibiting various cytokine producing pathways, it has anti-oxidant and
antiulcer properties. ¹

Andrographolide inhibit the production of mature viral particle. It also shows significant effect on cellular immunological indicators and innate immune response by regulating activation IL-4 producing splenocytes (Churiyahet al. 2015, 21). Hongoquercin A and Hongoquercin B alkaloid derived exhibits moderate activity against Gram-positive bacteria like E.coli by passing through the outer cell membrane (Abbanat el al;

Figure 1:

213

¹Tablet Swasvin D Vyro (Virofight) -A Proven Solution for any Viral Infection, Immunity and Inflammation

214 [] , 10.4103/0974-8490.118813. 5 p. .

215 [Kumari et al. (2012)] , R Kumari , Study On , Immuno-Modulatory , Effect , Herbal , Of , Racemosus Willd ,
216 In Broiler , Chicks , Gjrm , I Volume , I Issue . January 2012. p. .

217 [Nilesh (2009)] , Mahajan Nilesh . Sept-December 2009. 1 p. .

218 [(2006)] , 10.1016/j.jep.2006.03.004. <https://doi.org/10.1016/j.jep.2006.03.004> September 2006.

219 [Mohammad-Taghi Moradi 1 , Ali Karimi 2 * , Mehrdad Shahrani 2, Leila Hashemi 3, and Mohammad-Saleh Ghaffari-Goosheh (2019) '2 Anti-Influenza Virus Activity and Phenolic Content of Pomegranate (*Punica granatum* L.) Peel Extract and Fractions'. *Avicenna J Med Biotech* Mohammad-Taghi Moradi 1 , Ali Karimi 2 * , Mehrdad Shahrani 2, Leila Hashemi 3, and Mohammad-Saleh Ghaffari-Goosheh (ed.) 2019. October-December 2019. 11 (4) p. .

220 [Ys] 'A review on *Solanum nigrum*'. Rani Ys . *WORLD JOURNAL OF PHARMACY AND PHARMACEUTICAL SCIENCES SJIF Impact Factor* 6 p. . (Issue)

221 [Han-Chiehko] 'a The effect of medicinal plants used in Chinese folk medicine on RANTES secretion by virus-infected human epithelial cells'. Han-Chiehko . *Journal of Ethnopharmacology* 107 (2) p. 19.

222 [Rege et al. ()] 'Adaptogenic properties of six rasayana herbs used in Ayurvedic medicine'. N N Rege , U M Thatte , S A Dahanukar . 10.1002/(SICI)1099-1573(199906)13:4<275::AID-PTR510>3.0.CO;2-S. *Phytother Res* 1999. 13 (4) p. .

223 [Sheeja and Kuttan ()] 'Ameliorating effects of *Andrographis paniculata* extract against cyclophosphamide-induced toxicity in mice'. K Sheeja , G Kuttan . *Asian Pac J Cancer Prev* 2006. 7 p. .

224 [Park (2016)] *Anti-Inflammatory Effects of Pomegranate Peel Extract in THP-1 Cells Exposed to Particulate Matter PM10, Evidence-Based Complementary and Alternative Medicine*, Soojin Park . 5 January 2016. 14 April 2016. April 2016. (Accepted 18)

225 [Lee et al. ()] 'Anti-inflammatory effects of *Punica granatum* Linne in vitro and in vivo'. C J Lee , Lih-Geeng & Chen , Wen-Li & Liang , Ching-Chiung Wang . 10.1016/j.foodchem.2009.04.123. 315-322. [10.1016/j.foodchem.2009.04.123](https://doi.org/10.1016/j.foodchem.2009.04.123) *Food Chemistry* 2010. 118.

226 [Antibacterial and antidiarrhoeal effects of alkaloids of *Holarrhena antidysenterica* WALL Indian journal of Experimental Biology 'Antibacterial and antidiarrhoeal effects of alkaloids of *Holarrhena antidysenterica* WALL'. *Indian journal of Experimental Biology* June 2004. 42 p. .

227 [Pandey et al. ()] 'Antiinflammatory effect of *Pueraria tuberosa* extracts through improvement in activity of red blood cell anti-oxidant enzymes'. N Pandey , D Yadav , V Pandey , Y B Tripathi . 10.4103/0974-8520.123131. *Ayu* 2013. 34 (3) p. .

228 [Gupta and Reddy] 'Antinociceptive and anticonvulsant activities of hydroalcoholic extract of *Jasminum grandiflorum* (jasmine) leaves in experimental animals'. R K Gupta , P S Reddy . *Pharmacognosy Res*

229 [Pandey et al. ()] 'Antioxidant activity of tuberosin isolated from *Pueraria tuberosa* Linn'. Nidhi & Pandey , Yamini Tripathi , Bhusan . 47.10.1186/1476-9255-7-47. *Journal of inflammation* 2010.

230 [Churiyah ()] 'Antiviral and Immunostimulant Activities of *Andrographis paniculata*'. Churiyah . 10.4308/hjb.22.2.67. *HAYATI Journal of Biosciences* April 2015. 22 (2) p. .

231 [Eisenhut ()] 'Antiviral effects of *Glycyrrhiza* species'. Cristina Fiore Michael Eisenhut . 10.1002/ptr.2295. <https://doi.org/10.1002/ptr.2295> *PHYTOTHERAPY RESEARCH Phytother. Res* 2008. 20 September 2007. 22 p. . (in Wiley Inter Science (www.interscience.wiley.com)

232 [Gu et al. ()] 'Bioactive steroidal alkaloids from the fruits of *Solanum nigrum*'. X Y Gu , X F Shen , L Wang . doi: 10. 1016/j.phytochem.2017.12.020. *Phytochemistry* 2018. 147 p. .

233 [Chemokines and chemokine receptors: their manifold roles in homeostasis and disease Cell Mol Immunol ()] 'Chemokines and chemokine receptors: their manifold roles in homeostasis and disease'. *Cell Mol Immunol* 2004. 1 (2) p. .

234 [Narkhede et al. ()] 'Comparative immunomodulation potential of *Tinospora cordifolia* (Willd.) Miers ex Hook. F., *Tinospora sinensis* (Lour.) Merrill and *Tinospora cordifolia* growing on *Azadirachta indica* A. Juss'. A N Narkhede , S D Jagtap , D M Kasote , O P Kulkarni , A M Harsulkar . *Indian J Exp Biol* 2014. 52 (8) p. .

235 [Anilkumar] 'Evaluation of Anti-Inflammatory Properties of Isoorientin Isolated from Tubers of *Pueraria tuberosa*'. Kotha Anilkumar . 10.1155/2017/5498054. ID 5498054. <https://doi.org/10.1155/2017/5498054> *Hindawi Oxidative Medicine and Cellular Longevity* 2017.

236 [Ss Ghoke et al. ()] 'Evaluation of antiviral activity of *Ocimum sanctum* and *Acacia Arabica* leaves extracts against H9N2 virus using embryonated chicken egg model'. Ss Ghoke , S S Ghoke , R Sood , N Kumar . 10.1186/s12906-018-2238-1. <https://doi.org/10.1186/s12906-018-2238-1> *BMC Complement Altern Med* 2018. 18 p. 174.

237 [Mediratta (2002)] 'Evaluation of immunomodulatory potential of *Ocimum sanctum* seed oil and its possible mechanism of action'. P Mediratta . *Journal of Ethnopharmacology* April 2002. 80 (1) p. .

24 RESULT

270 [Chang ()] 'Fresh ginger (*Zingiber officinale*) has anti-viral activity against human respiratory syncytial virus in
271 human respiratory tract cell lines'. *J S Chang . Journal of Ethnopharmacology* 2013. 145 p. .

272 [Gautam (2009)] Manish Gautam . *Immunomodulatory activity of Asparagus racemosus on systemic Th1/Th2*
273 *immunity: Implications for immunoadjuvant potential*, 21 January 2009. 121 p. .

274 [Cinatl et al. (2003)] 'Glycyrrhizin, an active component of liquorice roots, and replication of SARS-associated
275 coronavirus'. *J Cinatl , G Morgenstern , Bauer , H Chandra , H W Rabenau , Doerr . ?www.thelancet.com*
276 -46THE LANCET ?, 2003. June 14. 2003. 361 p. 2045.

277 [Hongoquercins ()] Hongoquercins . *New Antibacterial Agents from the Fungus LL-23G227: Fermentation and*
278 *Biological Activity*, 1998. 51.

279 [Devasagayam and Sainis (2002)] *Immune system and antioxidants, especially those derived from Indian medicinal*
280 *plants*, T P A Devasagayam , K Sainis . June 2002. 40.

281 [Gupta (2015)] 'Immuno pharmacological Activity of *Zingiber officinale* on Human Peripheral Blood Mononuclear
282 Cells'. Amit Gupta . *Asian J. Med. Pharm. Res* June 25. 2015. 5 (2) p. .

283 [Atal et al. ()] 'Immunomodulating agents of plant origin. I: Preliminary screening'. C K Atal , M L Sharma , A
284 Kaul , A Khajuria . 10.1016/0378-8741(86)90025-5. *J Ethnopharmacol* 1986. 18 (2) p. .

285 [Patel (2016)] 'Immunomodulatory activity of ethanolic extract of *Pueraria Tuberosa* D.C'. Jignesh Patel .
286 *International Journal of Scientific & Engineering Research* 2229-5518. November-2016. 7 (11) .

287 [Maji et al. ()] 'In-vivo immunomodulatory potential of standardized *pueraria tuberosa* extract and its
288 isoflavonoids'. A K Maji , S Mahapatra , D Banerjee . *International Journal of Pharmacy and Pharmaceutical*
289 *Sciences* 2014. 6 (1) p. .

290 [Dasaraju and Liu ()] 'Infections of the Respiratory System'. P V Dasaraju , C Liu . *Medical Microbiology*, S
291 Baron (ed.) (Galveston (TX) 1996. University of Texas Medical Branch at Galveston (4th edition)

292 [Infectious-diseases respiratory-viruses/overview-ofviral-respiratory-infections] *Infectious-diseases respiratory-viruses/overview-ofviral-respiratory-infections*, <https://www.msdmanuals.com/professional>

293 [Poonam and Daswani (2002)] 'Investigation of the Antidiarrhoeal Activity of *Holarhena Antidysenterica*'. G
294 Poonam , Daswani . *Indian Journal of Pharmaceutical Sciences* March-April 2002.

295 [Denyer et al. ()] 'Isolation of antirhinoviral sesquiterpenes from ginger (*Zingiber officinale*)'. C V Denyer , P
296 Jackson , D M Loakes , M R Ellis , D A Young . 10.1021/np50107a017. *J Nat Prod* 1994. 57 (5) p. .

297 [LALITA BADAM] *In vitro* studies on the effect of glycyrrhizin from Indian *Glycyrrhiza glabra* Linn on some RNA and DNA viruses
298 'LALITA BADAM *In vitro* studies on the effect of glycyrrhizin from Indian *Glycyrrhiza glabra* Linn on some
299 RNA and DNA viruses'. *Indian Journal of Pharmacology* 1994. 26 p. .

300 [Shyma] *Latheef Ameliorative effects of *Withania somnifera*, *Azadirachta indica*, *Tino-spora cordifolia* and *E**
301 *care Se* herbal preparations on chicken infectious anaemia virus induced haematological changes in chicks and
302 their live body weights, K Shyma . 4 p. .

303 [Nirmala ()] 'PAnti-inflammatory and anti-bacterial activities of *Glycyrrhiza glabra* L'. Nirmala . *Journal of*
304 *Agricultural Technology* 2011. 7 (3) p. .

305 [Haidari ()] 'Pomegranate (*Punica granatum*) purified polyphenol extract inhibits influenza virus and has a
306 synergistic'. M Haidari . 10.1016/j.phymed.2009.06.002. *Phytomedicine* 2009.

307 [Du et al. ()] *Pomegranate peel polyphenols inhibits inflammation in LPS-induced RAW264.7 macrophages via*
308 *the suppression of TLR4/NF-?B pathway activation*. *Food & Nutrition Research*, Lin & Du , Li , & Jianke ,
309 Zhang , & Xitong , Wang , & Lifang , Zhang , & Weimin , Mi & Yang , Chen Hou . 10.29219/fnr.v63.3392.11.
310 63.10.29219/fnr.v63.3392.11 2019.

311 [Chao and Lin ()] *Review Isolation and identification of bioactive compounds in *Andrographis paniculata* (Chuanxinlian)Chao and Lin Chinese Medicine*, Wen-Wan Chao , Bi-Fong Lin . 2010. 5 p. 17.

312 [Howell and Souza ()] 'The pomegranate: effects on bacteria and viruses that influence human health'. A B
313 Howell , D Souza , DH . 10.1155/2013/606212. *Evid Based Complement Alternat Med* 2013. 2013. p. 606212.

314 [The science behind sacredness of Tulsi (*Ocimum sanctum* Linn Indian J Physiol Pharmacol ())] 'The science
315 behind sacredness of Tulsi (*Ocimum sanctum* Linn'. *Indian J Physiol Pharmacol* 2009. 53 (4) p. .

316 [Umamaheswari Antiulcer and in vitro antioxidant activities of *Jasminum grandiflorum* L Journal of Ethnopharmacology (2007)]
317 'Umamaheswari Antiulcer and in vitro antioxidant activities of *Jasminum grandiflorum* L'. *Journal of*
318 *Ethnopharmacology* 4 April 2007. 110 (3) p. .

319 [Gupta et al. (2002)] *Validation of traditional claim of Tulsi, *Ocimum sanctum* Linn. as a medicinal plant*, S K
320 Gupta , Prakash , Jai , Sushma Srivastava . July 2002. 40.

321 [IvanAranha 1 Fatima Clement 2 Yeldur P (ed.)] *Venkatesh Immunostimulatory properties of the*
322 *major protein from the stem of the Ayurvedic medicinal herb, guduchi (*Tinospora cordifolia*)*,
323 10.1016/j.jep.2011.11.013Getrightsandcontent. <https://doi.org/10.1016/j.jep.2011.11.013Getrightsandcontent> IvanAranha 1 Fatima Clement 2 Yeldur P (ed.)

327 [Dnyaneshwar Kantaram ()] 'Virus: An Ayurvedic View'. Jadhav Dnyaneshwar Kantaram . *Acta Scientific*
328 *Medical Sciences* 2018. 2 (7) p. .