

Vaccine, Emergence, Termination, Sunspot Number as ON-OFF Switch for COVID-19 Pandemic with 25 Worst-Hit Countries

Tai-Jin Kim¹

¹ University of Suwon

Received: 7 December 2019 Accepted: 31 December 2019 Published: 15 January 2020

Abstract

COVID-19 vaccine sample at Arctic Ocean and Antarctic Peninsula, plasmas from recovered people and CMV infected cetaceans, and modified MMR vaccines with the cetacean host. The present study proposes that the 11-year cyclic sunspot number is analogous to a SWITCH, turning on and off an epidemic, inducing a public-health crisis. The ON period by the minimum (maximum) sunspot number initiated mutant viruses (AIV, SARS, MERS-CoV, and COVID-19) to transmit from the Poles to Continents by migratory birds and humpback whales. The first COVID-19 arrival dates in China, USA, Japan, Mexico, and Hawaii, determined by the distance between feeding grounds and breeding areas of humpback whale habitats. The OFF period occurs during the high sunspot number (>25-50) and may terminate COVID-19 in September (optimistic prediction) or in November, 2020 (pessimistic prediction) with three cases. Leather tanning industry ($R^2 = 0.8514$), global coastline ($R^2 = 0.7864$), USA coastline ($R^2 = 0.3099$), USA refinery ($R^2 = 0.4874$), CO₂ emissions ($R^2 = 0.7627$), population ($R^2 = 0.3748$), and minimum sunspot number ($R^2 = 0.8907$) showed high linearity with COVID-19 pandemic, as major causes in the 25 worst-hit countries. COVID-19 can globally decrease by reducing toxic chemicals during the leather industry.

Index terms—cetacean host vaccine, emergence, termination, sunspot number, ON-OFF Switch, COVID-19 Pandemic, 25 Worst-Hit Countries.

1 Introduction

The coronavirus (COVID-19) has infected 188 countries and regions with more than 13,765,713 total and 589,192 deaths as of July 17, 2020 (JOHNS HOPKINS, 2020), to becoming the worst public-health crisis in a century (CALLAWAY et al., 2020). The coronavirus (COVID-19) is spreading around the world, but there are still no vaccines to protect the body against the COVID-19. Ten candidate vaccines are in clinical evaluation while 123 candidate vaccines are in preclinical evaluation (WHO, 2020). The COVID-19 might be an evolutionary virus mixed between species of humans and cetaceans (porpoises, dolphins and whales) (KIM, 2020). Therefore, the transmitters of the COVID-19 are multi-species-humans and cetaceans, which could be why 188 countries and regions suddenly suffered from the COVID-19 within a few months. The induction by viruses for SARS and MERS-CoV was the coronavirus. At the same time, each transmission reservoir was the bat for SARS in China in 2002-2003 and the bat/dromedary camel in Saudi Arabia in 2012, respectively (KIM, 2019). The humpback whales were the transmitter of the avian influenza virus (AIV), while their stranding along the Atlantic Coast from 1992 to 2016 related ($R^2 = 0.6128$) with CO₂ emissions from the states on the Atlantic Coast in the USA (KIM, 2018). Furthermore, proposed that humpback whales in Site # 3 among 14 habitats were the source of the COVID-19 in Wuhan in China. Kim (2020) revealed warning phenomena, originally referred to by Ward (2019) and Sorace (2019), stating that there were over 100 and 136 dead dolphins found stranded on the beach of Cape Verde of West Africa (Site # 2) (KIM, 2020) on September 28 and 30, respectively, 2019, which happened

ahead of the COVID-19 emergence on November 17 in Wuhan in China. The sudden spread of the COVID-19 in 2020 could have caused by the 14 habitats of humpback whales, linked to millions of dolphins (KIM, 2020). The COVID-19 deaths cases of the top 15 worst-hit countries were proportional ($R = 0.7864$) to the lengths of swimming coastlines (Fig. 5) along which cetaceans swim. It is clear that cetaceans, including porpoises (KIM, 2019), dolphins, and whales (KIM, 2020), are the host and the source of the COVID-19 pandemic. The COVID-19 vaccine should thus develop not in the limited realm of SARS-CoV-2 coronavirus, but the wide domain of cetacean coronaviruses such as the cetacean morbillivirus (CMV). CMV has a high propensity for interspecies transmission (JO et al., 2018). CMV is RNA viruses, as is the case of the COVID-19, recognized in 1988 with several distinct viral strains (LEGER et al., 2018) such as; 1. Porpoise morbillivirus (PMV), 2. Dolphin morbillivirus (DMV), 3. Pilot whale morbillivirus (PWMV), 4. Beaked whale morbillivirus (BWMV), 5. Long-finned pilot Longman's beaked whale, 6. Guinea dolphin, and 7. Indo-Pacific bottlenose dolphin, the latter caused the COVID-19 pandemic in Wuhan in China (KIM, 2019).

ii. Step 2. Screenings. 1) Human blood test for the presence of a non-segmented, single-stranded RNA genome (MODROW et al., 2013) of negative polarity for the COVID-19, may allow the initial screening of the confirmed cases by blood kit.

2) The final confirmation can decide by CT (computerized tomography) film for pulmonary calcification.

3) The COVID-19 induces pneumonia, inflaming the alveoli in the lung filled with pus, causing a smell from toxic gases such as H_2S , SO_2 , NH_3 , and mercaptans. A portable H_2S detector in a ppm unit for the foul smell of pus from human exhaled air, quickly screens the degree of lung inflammation, caused by the COVID-19. H_2S is also available from volcanic gas (0.04 -0.68 %) (KIM, 2020) and biogas (0.5 -2 %) (DUMONT, 2015), so that the concentration of pus smell is within a toxic allowance of 10 ppm or 0.001 %. Therefore, a commercial portable H_2S detector easily monitors the foul smell of pus from human exhaled air, if infected by the COVID-19. 4) Those whose body temperature show higher than $37.5^\circ C$ ($99.5^\circ F$), should be separated from the normal group for accurate measurement. Such simple screenings of physical (body temperature), chemical (H_2S detector), biological (blood test), and radiological (computerized tomography) kits may quickly separate patients infected from the COVID-19 from the healthy ones.

iii.

Step 3. COVID-19 Vaccine. 1) Vaccines can develop with virus samples collected at the Chukchi Sea of the Arctic Ocean for the feeding grounds of gray whales and at the Baffin Bay of the Arctic Ocean for the ones of humpback whales, respectively. Virus samples can also collect at the Antarctic Peninsula of the Antarctic with the warmest areas by the potent UV-B radiation. 2) Culturing plasma from people recovered from COVID-19 (PIECHOTTA et al., 2020) and plasma from CMV infected cetaceans. 3) 4 kinds of plasma preparations depending on the source (humans and cetaceans) and virus diseases (COVID-19 and CMV) as; fresh human plasma, human plasma infected by COVID-19, fresh cetacean plasma, and cetacean one infected by CMV. 4) Plasma inoculates and incubates at $37^\circ C$, as for CMV (WENDY et al., 2018).

The virus inactivates at a temperature to use as one of 5 types of vaccines (CDC, 2018); 1. live attenuated vaccines, 2. inactivated ones, 3. toxic ones, 4. subunit ones, and 5. conjugate ones. 5) The vaccine application to humans can follow by the stepwise methods in vitro P3 Lab test at petri dish, for the initial efficacy of curing the human lung cell infected by the COVID-19. In vivo tests for confirmed, recovered, and healthy people, determine the final efficacy and the stability of the developed COVID-19 vaccines to prevent the COVID-19. 6) Finally, the developed vaccines should examine to protect the human body's immune system for the mass reduction of the COVID-19 symptoms (CALLAWAY et al., 2020). Cetacean morbillivirus (CMV) and measles morbillivirus (MV) belong to morbillivirus. Since MV have humans as hosts, the MMR (Measles, Mumps, and Rubella) vaccine can be a good candidate to protect humans from the COVID-19. The genetic modification of MMR vaccines with the cetaceans host, may allow the low titers of the attenuated COVID-19 vaccines to last long and be safe.

2 b) Emergence of COVID-19

As for the emergence of COVID-19, the breeding period of the humpback whales 14 habitats (KIM, 2020) begins from December to April (NOAA, 2015). The human incubation period is from 2-14 days to possible outliers 0-27 days (WORLDOMETER, 2020). Adding one month for the human incubation period of COVID-19 to December, it expects that the COVID-19 would emerge in January 2020. On January 19, 2020, a 35-year-old man in Seattle of Washington was the first case of COVID-19 in the USA (CGTN AMERICA, 2020), while on January 16, 2020, there was the first case of COVID-19 in Japan (WHO, 2020). The feeding grounds of humpback whales are the same Bering Sea in Alaska, while their breeding grounds distribute in Japan, China, Taiwan, and South Korea (Site #3), Hawaii (# 4), and Baja Mexico (#5) (KIM, 2020). The coastline of Washington is 4,870 km and the 11th longest in the USA. Due to the proximity of whale feeding grounds in Alaska and Seattle (2,641 km), it is not necessary to add another month to January as a migratory period. Such an additional month added to January can be applicable if the route is from Alaska to another breeding area of Baja California of Mexico with a distance of 4,374 km. Thus, the first case of COVID-19 in Mexico was February 28, 2020 cited as arrival date (WHO, 2020), which was close to one month added to the case of Seattle (January 19, 2020). The distance between Hawaii (# 4) and the Bering Sea in Alaska is 4,486 km, which is a little farther than Baja California of Mexico (# 5). If we subtract 4,374 km in Baja California in Mexico (February 28, 2020) from 4,486 km in Hawaii, the answer is five additional days to February 28, 2020, considering the average whale swimming

speed of 22 km per hour. The result means an exact match with the first arrival date of March 6, 2020 in Hawaii (WHO, 2020).

It can conclude that the arrival dates of the COVID-19 in Seattle in the USA, Japan, Mexico, and Hawaii, can determine by the swimming distance between the feeding ground and the breeding ones of humpback whale habitats. As for China, there was the first case of COVID-19 in Wuhan on November 17, 2019 (WHO, 2020). Ward (2019)

3 c) Propagation of COVID-19

The coronavirus (COVID-19) has infected 188 countries and regions with more than 13,765,713 total cases and 589,192 deaths as of July 17, 2020 (JOHNS HOPKINS, 2020), becoming the worst public-health crisis in a century (CALLAWAY et al., 2020). The population of the 25 worst-hit countries in the present study was proportional ($R^2 = 0.3748$) to the COVID-19 deaths cases, as shown in Fig. 1. China (1,390 million) and India (1,340 million) excluded due to being out of range. Fig. 1 showed that the more populated countries showed more COVID-19 deaths. In the rank of deaths as of July 10, 2020, the population of each country was as follows; The top 5 CO₂ emitting countries are; 1. China, 2. USA, 3. India, 4. Russia, 5. Japan, while CO₂ emissions correlated with total cases ($R^2 = 0.8064$) and deaths ($R^2 = 0.7627$) of the COVID-19 (KIM, 2020). It is necessary to reduce the global population to decrease CO₂ emissions as well as the COVID-19, as shown in Fig. 1.

4 Figure 1:

The population (million) of 25 worst-hit countries was proportional ($R^2 = 0.3748$) to the COVID-19 deaths cases (thousand).

Table ?? showed that the highest linearity of COVID-19 deaths with the leather tanning industry ($R^2 = 0.8514$) and the coastline (cetaceans) ($R^2 = 0.7864$), while COVID-19 deaths linearly correlated with the lumped parameter of CO₂ emissions ($R^2 = 0.7627$). It is necessary to reduce the global COVID-19 deaths by the controllable variable of CO₂ emissions, which originated from leather tanning, oil refineries, vehicles, coal- and gas-powered plants, population, and metropolitan food waste gas. Since the parameters such as coastlines or cetaceans, ozone hole area, and minimum sunspot number are not controllable variables, the most effective parameter ($R^2 = 0.8514$) of the leather tanning industry can globally decrease the COVID-19 deaths by reducing toxic chemicals during the leather tanning process.

5 d) Termination of COVID-19

The breeding period of the whales is from December to April, while the feeding period is from May to September (or from June to October) (NOAA FISHERIES, 2015). The human incubation period is from 2-14 days to possible outliers 0-27 days (WORLDMETER, 2020). Therefore, the termination of COVID-19 is expected in June (or July) with an additional one month of human incubation to May (or June). However, it takes another month for whale migration as described below: The blue whale typically swims at a speed of 14 miles or 22 km per hour (www.worldanimalfoundation.net).

The migratory distance covered by gray whales along the Pacific Coast between the Bering Sea in Alaska and Baja California in Mexico is 5,551 km. The migratory distance covered by humpback whales along the Atlantic Coast between the Dominican Republic and Greenland is 6,151 km. Both distances can be approximated as 6,000 km divided by 22 km to have 272 hours or 12 days. Approximately one month is considered as the additional migratory period to June (or July) for July (or August) as the termination period of the COVID-19 pandemic in the USA.

The OFF SWITCH for termination of the COVID-19 depends on the high sunspot number (> around 25-50), which may require a few more months to pass beyond July (or August). Besides, Fig. 2A showed the bell distribution of the COVID-19 for the New York City from March to July with the peak on April 12, 2020, which took four months to be ON and OFF SWITCH of the COVID-19 distribution, respectively. Thus, two months later from July (or August) changes to September to November (or October to December) so that the sunspot number (SPACE WEATHER PREDICTION CENTER, 2020) may provide high sunspot number (> around 25-50), as observed in 2018 for MERS-CoV (25) (KIM, 2019) and 2003 for AIV (50) (KIM, 2018), to possibly turn OFF SWITCH for the COVID-19 pandemic.

Ward (2019) and Sorace (2019) observed warning phenomena that 100 and 136 dolphins found dead on beach of Cape Verde (Site # 2 of 14 humpback whale habitats) of West Africa in September 28 and 30, respectively, 2019. Two months later, there was the coronavirus (COVID-19) pandemic in Wuhan city of China, near to Site #3 of Western North Pacific (KIM, 2019) on November 17 of 2019 (WHO, 2020).

Similarly, new type of virus may appear in September of 2020 from the Poles either to 14 humpback whale habitats (KIM, 2020) or one of top 5 countries (BLOKHIN, 2019), creating most of the world's There were three typical cases of COVID-19 termination, based on the new daily reported cases coronavirus map and case count by the New York Times (July 29, 2020) as follows.

Case 1 in Fig. 2A with bell curve decrease; NYC-Fig. 2A, Germany, U.K., Italy, Spain, France, Canada, USA (NYC, NJ, RI, NH, MD, MA, CT, AZ, UT, DC), Case 2 in Fig. 2B with stepwise increase; Brazil, Mexico, India, Russia, Peru, Ecuador, Chile, Belgium, USA (CA-Fig. 2B, FL, NC, SC, GA, OR, TX, AL, ID, TN, WI, MI, MO,

AR, KY, NV, NE, WY, AK, PR), Case 3 in Fig. 2C with see-saw increase; Tokyo, Israel, USA (ME-Fig. 2C, VA, PA, DE, WA, CO, MI, IL, VT, LA, OH, IN, MN, IA, KS, WV, SD, ND, HI). CO₂ emissions (China, United States, India, Russia, and Japan). There can be a competition of virus survival between the COVID-19 and the newly arrived virus at such locations for a few months so that the COVID-19 may competitively inhibit the new virus and fade away, as used to occur in toxic cyano bacteria in the lake ??WATANABE, 1994). The OFF period occurs during the high sunspot number (> around 25-50) and may terminate COVID-19 in September (optimistic prediction) or in November 2020 (pessimistic one).

The main parameters caused by the COVID-19 are; Case 1 could be the cetaceans, including whales, dolphins, and porpoises. Cetaceans began to migrate to the Poles in April and complete their journey in June, whose COVID-19 may last the shortest period till September 2020. Case 2 could be the leather tannery industry, exporting hides to other countries, whose COVID-19 may last the middle period till October 2020. Case 3 for the mixed causes with multi sources such as leather tanning, cetaceans, oil refinery, vehicle, coal and gas-powered plants, whose COVID-19 may last the longest period till November 2020. The Maine one in Fig. 2C is the intermediate stopover of humpback whales from the Dominican Republic toward the final destination of the Arctic Ocean. Case 3 could cause by partly coming in from the breeding ground of the Dominican Republic and going out to the feeding ground of the Arctic Ocean. In general, the COVID-19 is in decreasing mode in Fig. 2. Furthermore, Fig. 4 displays the linear ($R^2 = 0.8907$) increase of the minimum sunspot number (23 as of July 31, 2020) (SPACE WEATHER SERVICES, 2020) for turning OFFSWITCH (sunspot number > around 25-50) for the COVID-19 pandemic. When sunspot increases, ozone concentration increases to decrease UV-B radiation (NIH, 1989) so that COVID-19 decreases to terminate. Fig. 2 A describes the reported daily infections from March 1 to July 1 in New York City (New York Times, 2020), with a peak reached on April 12, 2020. New York City is on the migratory routes of humpback whales (Site # 1 for New York City) (KIM, 2020). Fig. 2 implied that the humpback whales have begun to migrate from New York City (Fig. 2A) to the Baffin Bay/ Labrador Sea in the Arctic Ocean. The cases caused by the humpback whales may begin to decline as they swam from the breeding grounds (the Dominican Republic, # 1), passing through Florida, Georgia, South Carolina, North Carolina, Virginia, Maryland, Delaware, Pennsylvania, New York, New Jersey, Connecticut, Massachusetts, New Hampshire, and Maine-Fig. 2C, to feeding grounds (Iceland, Labrador Sea, Baffin Bay, and the Arctic Ocean). The cases of the COVID-19 caused by the gray whales in the Pacific Coast (WOLFE, 2019), may begin to decline from the breeding grounds (Baja California of Mexico, # 5), passing through California (Fig. 2B) (San Diego, Los Angeles, Point Piedras Blancas), Oregon (Depoe Bay), Washington (Seattle), Canada (Vancouver), and Alaska (Gulf of Alaska), to feeding grounds (Bering Sea, Chukchi Sea, and the Arctic Ocean).

6 e) Personal Protection from COVID-19

Japanese areas near volcanic regions were much safer than regions with no volcanoes in the vicinity in the section of III -y) Japan. Therefore, in non-volcanic countries, people can easily protect themselves from the COVID-19 by spraying small amounts of artificial volcanic gases such as H₂S and SO₂, as shown in Equation (2). Hydrogen sulfide (H₂S) is a typical gas with duality for the COVID-19. Its anti-inflammatory responses in respiratory diseases studied by the NIH grant (CASOLA, 2018), which is applicable to cure the confirmed COVID-19 patients. The artificially rotten eggs can use to generate minor amounts of H₂S gas. Garlic compounds metabolize to H₂S (UNIVERSITY OF ALABAMA, 2007). A few easy preparation steps with volcanic gases can protect people from the COVID-19 as 1) Use rotten egg (KIM, 2020) to generate minor amounts of H₂S indoors, 2) Eat a piece of garlic per day for minor generation of metabolic H₂S, 3) Eat curcumin (HE et al., 2015) and garlic together as food to protect the respiratory systems from the COVID-19, 4) SO₂ can prepare by putting sulfur (S) powder on the burning charcoal hotter than 500 °C. Such artificial volcanic gases of H₂S and SO₂ are necessary indoors while keeping proper ventilation, 5) Do not go outside for prevention of the COVID-19 when either negligible UV-B radiation (Fig. 3A) is available from the sunset to the next sunrise or the flower of Tradescantia closes (Fig. 3C). Since UV-B radiation disinfects the virus (KIM, 2019), it is necessary to go outside only during the daytime with potent UV-B radiation (Fig. 3A) or during the open flower period of Tradescantia (Fig. 3B), as a bio-indicator against the COVID-19, 6) Clean up the food waste as often as possible due to its harmful biogas (DUMONT, 2015), 7) Do not use the subway but use the bus with the sunlight and UV-B radiation, killing the virus (KIM, 2019), 8) Do not stay in the underground floors but in the upper floors with the sunlight to kill the COVID-19 by the solar UV-B radiation, 9) Do not stand behind the running vehicle muffler with toxic gases, 10) Stay at the green region with forest and agricultural lands, 11) Stay within a tropic whose latitude is less than 20, and 12) Stay above Arctic Circle with latitude of 66, for the powerful UV-B radiation killing the COVID-19.

The Korea Meteorological Administration at Ulsan city in South Korea showed a typical UV-B Index during the 24-hour variation in Fig. 3A with the peak value at noon with minimal at both of the sunrise and the sunset, as of July 25, 2013. COVID-19 decreases as UV-B radiation increases (KIM, 2020). Tradescantia is exposed to low-level gamma rays and has linear relationship with the somatic mutation frequency (ICHIKAWA et al., 1981). The present work observed that Tradescantia (Fig. 3 K corresponded to a safe daytime due to potent UV-B radiation (Fig. 3A) acting against the COVID-19. On the other hand, the closed flower (Fig. 3C) during the insufficient UV-B radiation (Fig. 3A), indicated an unsafe period inducing the COVID-19. The flowering of Tradescantia was proportional to the UV-B radiation while the COVID-19 decreases as the UV-B radiation increases (KIM, 2020). It recommends not to stay outside for prevention of the COVID-19 pandemic when either

UV-B radiation is negligible from the sunset to the next dawn (Fig. 3A) or the flower of Tradescantia loses (Fig. 3C). UV-B radiation (Fig. 3A) or UV-B radiator (KIM, 2019) is a simple tool to protect people from the COVID-19. The installation of UV-B radiation, in the subway, undergrounds, churches, schools, hospitals, offices, homes, streetlamps, and drinking water, is necessary to kill all the viruses (KIM, 2019), including the COVID-19 pandemic.

7 (B)

The artificial volcanic gas (H_2S or SO_2) minimizes the COVID-19 casualties, as was the case in volcanic countries. The number of active volcanoes is shown in parenthesis, while the global rank of the COVID-19 for the 25 worst-hit countries is given as of July 2020: 1. USA (169), 2. Brazil (0), 3. India (7). The sunspot number was as follows; July 2019 (sunspot number 0.7), August (0.7), September (0.8), October (0.7), November (0.8), December (1.9), January 2020 (5.9), February (0.4), March (1.2), April (4.8), May (0), June (5.9), July 4 (12), to July 31 (23). There was a linear relationship ($R^2 = 0.8907$) between total The minimum sunspot number (COVID-19 pandemic (713,845 deaths as of August 7, 2020) caused much more strong casualties than those during the maximum sunspot number of 774 SARS and 858 MERS-CoV.

8 Medical Research Volume XX Issue XI Version I

During the sunspot number of the 11-year cycle with 14 months of standard deviation (HATAWAY, 2010), there are always maximum or minimum points of the sunspot number. In each case, there can be ON, Transition, and OFF SWITCH mechanisms. Major casualty expects during transition period.

Once turned ON SWITCH (emergence of the epidemic) by either minimum sunspot number or maximum sunspot number, causing virus mutation in the Poles during the potent UV-B radiation under the The present study proposes that the sunspot number is analogous to a SWITCH, turning an epidemic ON and OFF 11-year cyclic virus from the Poles to the Continents with TRANSITION state inducing a public health crisis such as, highest CO_2 emissions, it is impossible to turn OFF SWITCH (termination of the epidemic) intentionally until turned OFF by global environments. CO_2 emissions increase continuously over the years ($R^2 = 0.9497$). The ozone absorbs solar UV radiation to decrease the UV-B (NIH, 1989). CO_2 emissions were proportional ($R^2 = 0.4116$) to the ozone hole area, and thus, CO_2 emissions lead to powerful UV-B radiation on the Earth (KIM, 2019).

The sunspot number is controlled by the Sun, while the solar radiation on the Earth can minimize by the reduction of global CO_2 emissions. It is thus necessary not to turn ON SWITCH of the sunspot number for minimization of the 11-year cyclic epidemic. The reduction of global CO_2 emissions should follow in the areas of the leather tanning industry, oil refineries, vehicles, coal-and gas-powered plants, population, and metropolitan food waste gas.

9 g) Coastline

It postulated that cetaceans, including whales, dolphins, and porpoises, that swim off coastlines globally, were a contributory factor in inducing the COVID-19 disaster in over 188 countries and regions (KIM, 2020). Infected humpback whales might be the reservoir of the cetacean morbillivirus (CMV) in the form of infected feces (KIM, 2020) through their migratory behaviors (JO et al., 2018). Released feces infected porpoises and dolphins in the 14 humpback whale districts (KIM, 2020), including the Yangtze River and East Sea (Site # 3 among 14 habitats) being then evolutionally transmitted to humans in Wuhan in China as COVID-19 (KIM, 2019). The sudden spread of the coronavirus could be traced to the 14 habitats of humpback whales, linked to millions of dolphins (KIM, 2020). Coastline data in km is available from Field Listing-Coastline (CIA, 2020). COVID-19 deaths, as of June 18, 2020, are (6, 793). Fig. 5 shows that the coastline of each country is proportional ($R^2 = 0.7864$) to COVID-19 deaths. Countries with very long coastlines along the Arctic such as Russia and Canada excluded from the correlation. At the same time, countries with very short coastlines such as Belgium and Netherlands also excluded in Fig. 5. It is therefore clear that dolphins and humpback whales spread COVID-19 around the world while swimming at the coastlines of each country. III.

10 Case Studies a) USA

The USA ranked second globally for CO_2 emissions (5,269 Mt CO_2) and has a population of 325.1 million in 2017 (FROHLICH, 2019). CO_2 emissions produced by coal-and gas-powered plants, oil refineries, vehicle exhaust gas, metropolitan food waste gas, human exhalation, leather-tannery industry, and the organic dye industry. The coastline of the USA is 19,924 km (CIA, 2020). Fig. 6 shows that the coastline of each country is proportional ($R^2 = 0.3099$) to COVID-19 deaths. Since cetacean morbillivirus (CMV) induced the coronavirus (COVID-19) pandemic (KIM, 2019), the Pacific Coast and the Atlantic Coast of the USA were also open to the danger of the COVID-19. There are 169 volcanoes in the USA. The USA has 264,194,000 registered vehicles. The latitude of the USA is $38^\circ N$ and thus an unsafe zone from the COVID-19. Leather is a multi-billion dollar global industry with criticism of its severe environmental impact (LEATHER PRODUCTION SUSTAINABILITY, 2018). Chemicals from the leather tanning industry and organic pigments in tannery wastewater, caused soil and water pollution, resulting in dangerous health hazards to both humans and animal life (SAXENA et al., 2016). Chemicals from

the leather industry and organic pigments pollute freshwater in rivers and lakes such as the Mohawk River; Hudson River (New York), Mississippi River (Minnesota (20), Wisconsin (25), Iowa (24), Illinois (4), Missouri (29), Kentucky (33), Tennessee (19), Arkansas (32), Mississippi (26), Louisiana (13), Los Angeles River (CA (3)), Colorado River (Colorado (21), Arizona (18), California (3)), and New York (1). Lakes; Erie, Ontario, Oneida, Seneca, Cayuga (New York (1)), Lake Michigan (Wisconsin (25), Illinois (4), Indiana (17), and Michigan (??)). The parenthesis numbers are the State rank of the COVID-19 deaths, as of June 18, 2020. Milwaukee's leather industry had a tremendous impact on the city's environment, polluting Milwaukee's rivers as well as Lake Michigan with industrial chemicals (WALZER, 2016) (<https://emke.uwm.edu/entry/leatherindustry/>). There are 111 leather tanning facilities in the USA, and the Northeast and Midwest states; Pennsylvania (9), Massachusetts (7), New York (1), and Wisconsin (21) have almost half of the facilities (MAX, 2018). In Gloversville, New York, the former old leather tannery (Fig. 7A) poses a threat to public health and welfare. Since it still contains toxic chemicals, the facility should be demolished thoroughly not to contaminate the Hudson River, which is the main river in the region, passing through New York City and New Jersey State (Fig. 7B). Those metropolitan areas were the first and second most hit regions by COVID-19 in the USA. (31, ??46) and New Jersey (12,891) deaths (as of ??une 18, 2020). Other causes of death could be the stack gases from 6 oil refineries in New Jersey, flue gases from 3 natural gas-powered plants in New York, two coal-powered plants, and ten gas-powered plants in New Jersey. Flue gas from power plants and stack gas from oil refineries emit toxic gases (SO₂, CO₂, NO_x, H₂S). Dolphins in the Hudson River and whales in the Atlantic Coast could also transmit the coronavirus causing the deaths of residents in New York Harbor and New Jersey. Also, metropolitan people and vehicles produce high CO₂ emissions in New York City, increasing the number of deaths. The decline of the glove industry meant people left the city, so old tanneries were still left or abandoned (Fig. 7A). The effluents from the abandoned tanneries with toxic residual chemicals flow into the Mohawk River, which is the largest tributary of the Hudson River (Fig. 7B). New York State capital Albany, locates where the Mohawk and Hudson Rivers converge. Albany, in the upper stream of the Hudson River, had 108 deaths, while New York City, farther downstream, had 21,856 deaths. In the Atlantic Ocean, New Jersey had 15,057 deaths and Connecticut 4,307 deaths, as of June 27, 2020. Since New York City, New Jersey, and Connecticut are on the Atlantic Coast, dolphins might transmit the coronavirus to these coastal states.

There are 161 volcanoes (USGS, 2020): 18 very high threat, 39 high threat, 49 moderate threat, 34 low threat, and 21 very low threat volcanoes. The volcanoes are in Alaska (50), Arizona (18), California (3), Colorado (21), Hawaii (49), Idaho (43), Nevada (34), New Mexico (37), Oregon (40), Utah (31), Washington (22), and Wyoming (48). The states with volcanoes were shown to be under little threat, as of June 18, 2020, except California, Washington, and Colorado. Numberings of power plants and oil refineries are indicated in parenthesis in California (30), Washington (5), and Colorado (57), with toxic gases in the flue gas from power plants and in the stack gas from oil refineries. The total amount of inhaling rate of (?) of volcanic gas (CO₂, H₂O, H₂S, H₂SO₄, SO₂, HCl, HF, particulate matter) relates with volcanic gas concentration (C), human inhaling volume rate ($V = 8 \text{ liter/min} = 8,000 \text{ cm}^3/\text{min}$), and exposure time ($\hat{I}^?t$) as Equation (1), $\hat{I}^?t = CV\hat{I}^?t$ —(1)

There are dual behaviors of volcanic gas and toxic gas, the latter originated from leather tanning industry, oil refinery stack gas, coal-powered and natural gas-powered flue gases, vehicle, population, and metropolitan biogas, associated with the coronavirus (COVID-19) ($\hat{I}^?t = (C\hat{I}^?t) V\hat{I}^?t$) —

Minor amounts ($\hat{I}^?t$) of gases in CASE 1 protect people from the coronavirus (COVID-19), shown in Equation (2). Therefore, in non-volcanic countries, people can easily protect themselves from the coronavirus (COVID-19) pandemic by spraying small amounts of artificial volcanic gases such as H₂S or SO₂. CASE 2. Casualties suffering from a high inhalation rate (??) have their respiratory systems damaged by toxic gas from the leather tanning industry, oil refinery stack gas, coal-powered and natural gas-powered flue gases, vehicle, population, and metropolitan biogas. Case 2 is in a high concentration (C?) for long-term exposure ($\hat{I}^?t$). This leads to a high number of the coronavirus (COVID-19) pandemic deaths for older adults, as observed in Lombardy in Italy, Wuhan in China, New York City in the USA, Tokyo in Japan, Teheran in Iran, Daegu in South Korea, as shown in Equation (3), $\hat{I}^?t = (C?) V\hat{I}^?t$ —(3)

Vehicle exhaust emissions create when the air-fuel mixture burning inside internal combustion engines releases carbon dioxide back into the atmosphere, causing health problems (AZO CLEANTECH, 2019). The composition of exhaust gases is N₂, O₂, H₂O, CO, CO₂, NO_x, SO₂, benzene, aldehydes, O₃, particulate matter (SKYBRARY, 2017). The relationship between vehicle numbers and CO₂ emissions was linear ($R^2 = 0.6313$). The vehicles of the USA in 2018 amounted to 279.1 million units.

The power plants of the United States are nuclear (9.0%), hydro (9.1%), wind and solar (13.5%), coal (20.7%), and natural gas (43.2%) (BLUEGOLD RESEARCH, 2020). Flue gases contain harmful substances such as particulate matter, phenol, furfural, glycols, H₂S, NH₃, C₆H₆, NaOH, H₂SO₄, HCl, HF, SO₂, NO_x, CO, heavy metals, and harmful chemicals (GIUGLIANO et al., 2016). One hundred thirty-five petroleum refineries in the USA (2019) were shown in Fig. 8A with 2 units in NJ (2), 18 in CA (3), 4 in IL (4), 13 in PA (7), 12 in MI (9), 16 in FL (8), 47 in TX (6), 19 in LA (13), 18 in OH (??6), 5 in WA (22), 15 in GA (11), and 12 in IN (17). The numberings in the parenthesis are the state rank of total COVID-19 cases in the USA, as of June 18, 2020. It is clear that 135 petroleum refineries in the USA are critical to cause the coronavirus (COVID-19) pandemic deaths ($R^2 = 0.4874$).

Mapping how the United States generates its electricity showed in Fig. 8B Natural gas and coal-power plants

produce main pollutions. Petroleum refineries (Fig. 8A) with toxic stack gas (CO, SO₂, O₃, H₂S, NO_x, caustic soda), supply petroleum and gas to power plants, while nonrenewable power plants (Fig. 8B) produce toxic flue gas (SO₂, H₂S, O₂, HF, MRL, CO₂, CO, NO_x, lead, cadmium, particulate matter). The distribution of the coronavirus (COVID-19) pandemic in the USA was shown in Fig. 8C, the distribution of which overlapped with refineries in Fig. 8A and non-renewable power plants in Fig. 8B. It can partially conclude that pollution of air and water caused by oil refineries and non-renewable power plants contributed to the coronavirus (COVID-19) pandemic. The majorly hit-states by the coronavirus in each region are listed below. Eastern part is New York City/ New York (1) and New Jersey (2) as the origin of Eastern COVID-19 in the USA, including Massachusetts (5), Pennsylvania (7), Maryland (10), Connecticut (15), and District of Columbia (38). The western part is California (3), Arizona (18), and Washington (22). The southern is Texas (6), Florida (8), Georgia (11), Virginia (12), Louisiana (13), and North Carolina (14). The middle is Illinois (4), Tennessee (19), Minnesota (20) (205), showed a significant number of deaths compared to those of other states. These hit states showed the common features such as 1) Along the coastline for cetacean transmission (Fig. 6), 2) Regions of the leather tanning (Fig. 7), 3) Areas of oil refineries (Fig. 8A), 4) Regions of natural gas-and coal-powered plants (Fig. 8B), 5) Metropolitan areas (Fig. 8C), all of which producing CO₂ emissions for the coronavirus (COVID-19). The key parameters causing the COVID-19 in the USA may be the leather tanning industry, cetaceans along the long coastline, and toxic gases from oil refineries, coal-and gas-powered plants, vehicles, population, and metropolitan food waste. The USA ranked first globally for

11 b) Brazil

Brazil ranked 13th globally for CO₂ emissions (476.1 Mt CO₂). CO₂ emissions produced by 22 coal-and 6 gas-powered plants, 17 oil refineries, 42,743,000 registered vehicles' exhaust gases, metropolitan food waste gas, human exhalation with a population of 209.3 million, leather-tannery industry, and organic dye industry. The Brazilian coastline extends 7,491 km to induce the coronavirus (COVID-19) through dolphins and humpback whales (Site #7 Brazil) (KIM, 2020). There is no active volcano. The latitude is 11 °S and thus within the safe zone from the COVID-19. However, Brazil exports the leather tanning industry, causing pollutions in water as well as in air, leading to the spread of the COVID-19. Brazil ranked 2nd globally for coronavirus (COVID-19) deaths (69,184) as of July 10, 2020, even though it locates at a safe latitude.

12 c) India

The coastline is 7,000 km with 7 volcanoes. The latitude is 21 °N and thus near the safe latitude range. India ranked 3rd globally for CO₂ emissions (2,466.8 Mt CO₂) and has a population of 1,340 million. India has 28,860,000 registered vehicles, 23 oil refineries, 24 coal-based power stations (57%), and gas power stations (7%) with disastrous air pollution. India is the fifth biggest exporter of leather goods in the world. The leather industry in India accounts for 13% of the world's leather production, 9% of the world's and 2nd largest footwear production with 20% of the world's cattle and buffalo, and 11% of the world's goat and sheep population. The Indian leather industry locates in northern, central, and southern parts of India, as shown in Fig. 10. India has terrible water pollution caused by leather tanneries, which permanently deteriorate the soil. India ranks 3rd internationally for CO₂ emissions after China and the USA. The main reason for India being ranked 3rd for coronavirus (COVID-19) cases as of July 10, 2020, is the negative parameters of the leather industry and CO₂ emissions from oil refineries, power stations, vehicles, and densely populated areas. Positive factors against the coronavirus are curcumin food, volcanoes, and partial safe latitude range near 20°N (8-37°N). Curcumin is a natural anti-inflammatory compound (HE et al., 2015). The COVID-19 induces pneumonia, inflaming the alveoli in the lungs which fill with pus affecting the exchange of oxygen and carbon dioxide molecules to and from the bloodstream, resulting in a shortage of oxygen in the blood culminating in a heart attack (KIM, 2019). Curcumin should eat to prevent the inflammation caused by the COVID-19 that results in lung disorder. The distribution of coronavirus cases in India is very close to those of the leather industries in India (Fig. 10). The COVID-19 in India caused by the leather industry using toxic chemicals and carcinogens, which polluted the biosystem in the river and contaminated the water for drinking water. India ranked 3rd globally for deaths (21,604) as of July 10, 2020.

13 d) Russian Federation

The Russian Federation ranked 4th globally for CO₂ emissions (1,692.8 Mt CO₂). CO₂ emissions produced by 25 coal-and gas-powered plants, oil refineries, 51,355,000 registered vehicles' exhaust gases, metropolitan food waste gas, human exhalation with population of 144.5 million, leather-tannery industry, and the organic dye industry. Russian electricity bases on gas (46%), coal (18%), hydro (18%), and nuclear (17%) power. There are twelve volcanoes in Russian Federation. The global Russian rank of the leather production is the fourth (BUFFALO JACKSON, 2020). CO₂ emissions were 57.7 million metric tons from one coal-and seven gas-powered plants, 36 oil refineries, 2,444,000 registered vehicles' exhaust gases, metropolitan food waste gas, human exhalation from a population of 32 million, leather-tannery industry, and the organic dye industry. Peru produced hides to export leather to the USA, Europe, and China, leading to excessive outbreaks of the coronavirus. There are twenty-one active volcanoes. The volcanic gas (H₂O, CO₂, SO₂, CO, H₂S, HCl, HF) inhibits the activity of

the COVID-19. The latitude is 10 °S and thus within the safe zone from the COVID-19. The coastline is 2,414 km, which induces the COVID-19 through dolphins and humpback whales (Site # 13 in the Southeastern Pacific) (KIM, 2020), as shown in Fig. 5. Peru ranked 5th globally for deaths (11, ??14) as of July 10, 2020.

14 f) Chile

Chile had a population of 18 million and the coastline extending 6,435 km. CO 2 emissions were 90.326 million metric tons, produced by coal-and gaspowered plants, oil refineries, 4,445,000 registered vehicles' exhaust gas, metropolitan food waste gas, human exhalation, leather-tannery industry, and organic dye industry. There are 3 active volcanoes. Chile produced hides to export leather to the USA, Europe, and China, leading to excessive outbreaks of the coronavirus. The latitude is 30 °S and thus not safe from the COVID-19. Chile ranked 6th globally for deaths (6,682) as of July 10, 2020.

15 g) The United Kingdom

The United Kingdom ranked 17th globally for CO 2 emissions. There is no active volcano. The United Kingdom produces 1,472,000 bbl/d oil in its refineries and has CO 2 emissions of 364.1 million tons. There are 42 natural gas-fired power stations in England along with five coal-powered stations. There were 38.2 million licensed vehicles. Demand for quality leathers increases across the garment, footwear, and leather goods industries. The Stahl Neo company only produces 1,100 leather tanning chemicals. Most tanning does within a few months. In contrast, the traditional tanning process takes 12 months to make expensive, but better leather using the oak bark method. The last oak 13 tanneries in the UK buy top quality hides, using a traditional tanning process, and producing the leather for shoe, saddle and harness makers, which export to China, Turkey, and Italy. Chrome tanning, adding chrome salt to the animal skin, is still the principal method used by 85% of tanneries because it is fast. Alternatives are the synthetic tanning with glutaraldehyde and vegetable tanning with the tannic acids. There are 12 leather federation associates and 15 UK leather federation members. Effluents from the unhairing and liming processes contain high concentrations of sulfur compounds from the sodium sulfide if the pH is below 9.5, toxic hydrogen sulfide (H 2 S) gas evolves. The latitude is 51.5 °N and thus not safe from the COVID-19. Since the United Kingdom produces less CO 2 emissions than the top 15 countries, it should expect to have less COVID-19 cases. This discrepancy could cause by the active leather tanning industry and toxic chemical manufacturing along with the long coastline of the United Kingdom (4,964 km) where dolphins can swim, as shown in Fig. 5. These combined factors could be responsible for the UK ranked 7th globally for COVID-19 deaths (44,687) as of July 10, 2020.

16 h) Mexico

Mexico ranked 11h for CO 2 emissions (490.3 Mt CO 2). The Mexican coastline of 9,330 km is long enough to induce the COVID-19, through dolphins and whales (Site #5 Mexico, # 6 Southeastern Pacific) (KIM, 2020), migrating to the Arctic Ocean. There are 48 volcanoes. Mexico produced hides to export leather to the USA, Europe, and China, leading to excessive outbreaks of the coronavirus (COVID-19). Mexico ranked 8th globally for COVID-19 deaths (33, ??26) as of July 10, 2020, even though it locates at a safe latitude (19 °N).

17 i) Spain

Spain ranked 23rd globally for CO 2 emissions (281.4 Mt CO 2) and has a population of 46.6 million. There are 11 volcanoes. The latitude is 40 °N and thus unsafe from the COVID-19. There are seven volcanoes, 2,436 coronavirus cases and 162 deaths (as of July 10, 2020) on the Canary Islands of Spain. Even though there are many volcanoes, not enough fumes are present to prevent the propagation of the coronavirus outbreak. It is, therefore, important to have an active volcano with volcanic gas fumes to inhibit the activity of the coronavirus, as in Japan. Spain has a long coastline of 2,300 km. The relatively high number of deaths could partly cause by its close proximity (1,595 km from the Canary Islands) to Cape Verde, which is the humpback whale breeding region in Northwest Africa (Site # 2) (KIM, 2020). Humpback whale feces can infect the dolphins, which happened in Wuhan in China (KIM, 2019). Spain has 27,463,000 registered vehicles and a

The Russian Federation has the longest coastline measuring 37,653 km to induce the COVID-19 through dolphins and humpback whales (Site # 1 West Indies, # 2 Cape Verde, # 4 Hawaii, #5 Mexico, # 6 Southeastern Pacific) (KIM, 2020), migrating to the Arctic Ocean. Since most of the Russian coastline is above the Arctic Circle (66 °N), the impact of the COVID-19 reduces by the potent UV-B radiation due to the Arctic ozone depletion (OZONE HOLE, 2019). Even though the Russian Federation has a leather tanning industry and its CO 2 emissions ranked 4th in the world, it had relatively few COVID-19 deaths due to the high latitude (60 °N), ranking 4th with 11,000 deaths as of July 10, 2020. population of 46.94 million, producing CO 2 emissions. The refinery water consumption estimated (SUN et al., 2018). Spain has an oil refinery capacity of 15, 515,000 bbl/d with ten refineries, which produce toxic gases (H 2 S, SO 2) as stack gas and polluted water during the process of crude oil, leading to the coronavirus (COVID-19). There are six coal-powered plants and three natural gas-powered plants in Spain to release harmful flue gases (H 2 S, SO 2) as a by-product, contributing to the COVID-19. One hundred eighteen companies operated the tanning industry, employing 2,689 workers (SPANISH TANNERS ??ONFEDERATION, 2008). Tanned Spanish leather intends for footwear followed by leather garments, leather

goods, and upholstery, which export to Hong Kong, Italy, France, and Morocco. Leather tanning with chromium salts yields a soft, supple leather that can dye in multiple colors. The key parameter causing the COVID-19 in Spain may be the leather industry and the organic dye industry. The Marshallian Industrial Districts (MID) in Spain produces textile products (46 MID and 85,000 employees) and leather and footwear (23 MID and 73,000 employees). Its main axis extends from the north of Catalonia to Valencia and Murcia. Catalonia, Valencia, and Murcia control by a MID basis for better wastewater treatment of polluted effluents from tanned Spanish leather, which could be why such areas showed lower coronavirus cases. High numbers of confirmed cases in other areas could cause by running small factories in residential locations which infect more people due to water pollution as well as air pollution. Such a regional distribution could have caused the high number of deaths in a similar way to Lombardy in Italy, Wuhan in China, and New York City in the USA. Those that have died in Spain could be older than 70 as in other countries. Their respiratory systems had deteriorated for 10-20 years due to air and water pollution in Spain. Their alveoli could no longer exhale CO₂ from their bodies, and O₂ could not inhale because of chronic calcification by toxic gas pollution (H₂S) from refineries, power plants, vehicles, food waste, and tanneries. However, when affected by the COVID-19, the lung is very weak since the coronavirus calcifies the alveoli of the lung very quickly. Therefore, older adults can die easily unless the oxygen generator supplies in time. Therefore, the effect of the COVID-19 is equivalent to giving a straight jab in boxing to an older adult every 10 seconds of residence time (one cycle of air inhalation and air exhalation in the lung), which is very difficult to endure for older adults with high death rate in Europe, China, and the USA. Spain has 282 Metric tons CO₂. On the other hand, Spain is the 9th worst-hit country by the COVID-19 with deaths of 28,401, as of July 10, 2020. It thus suggests that the parameters causing the COVID-19 in Spain are in the significant order of leather-tannery-textile industry, dolphins, oil refineries, power plants, and CO₂ emissions.

18 j) Iran

Iran ranked 7th globally for CO₂ emissions (672.3 Mt CO₂). The coastline of Iran is 2,440 km. There are 14 volcanoes in Iran. The positive parameter against the COVID-19 is 14 volcanoes producing volcanic gases (SO₂, H₂S, HCl, HF, CO₂, CO, H₂O) with two very active sulfur fumaroles in SE Iran, which inhibit the coronavirus activity with weak COVID-19 observed in such regions. The negative parameters are the whale habitat and leather industry. MERS-CoV caused by stranded humpback whales in the Persian Gulf, Gulf of Oman, and Arabian Sea. Tabriz with Lake Urmia has the problem of air pollution due to power plants and oil refineries. There are ten oil refineries and 400 power plant units in Iran. The leather industry began with 170 leather companies trading raw hides and skins. The most important parameter is the leather industry (SHAF AEI et al., 2019). Therefore, Iran has high coronavirus casualties due to negative parameters such as the leather industry, oil refineries, power plants, vehicles, population density in metropolitan areas of Tehran, water and air pollution, and humpback whales/ dolphins. The latitude of Iran is 32 °N and thus an unsafe zone from the COVID-19. Iran ranked 10th in the world for deaths (12, ??47) as of July 10, 2020.

19 k) Italy

Italy ranked 19th globally for CO₂ emissions (60.5 Mt CO₂) and had a population of 60.5 million. The coastline of Italy is 7,600 km. There are 48 volcanoes. The latitude is 43 °N and thus not safe from the COVID-19. Italy has 42,242,000 registered vehicles. There are three major parameters (leather-tannery, dolphins, volcanoes) governing the COVID-19 in Italy. Firstly, leather and textile industries have polluted the PO River (Fig. 11) ever since the Chinese immigrants emigrated Tuscany in Prato (MAX, 2019). Veneto has a total of 1,751 Chinese owned factories. The owner's places of origin are Wenzhou (67.9%) in China with cloth products. Chinese working conditions were residential areas causing pollution (WU et al., 2011). Since toxic chemicals use for tanning in the leather industry as organic dyes in the textile industry, cities that the PO River passing through (Fig. 11), are polluted. Italy (34, ??48), Croatia (107), Slovenia (109), Bosnia and Herzegovina (168), Montenegro (9), and Albania (38). The contribution of the dolphins to the COVID-19 in Italy was moderate while major portions of the Italian coronavirus cases caused by the leather tanneries along the PO River (Fig. 11) in Northern Italy. The impact of the COVID-19 to people is very critical, as shown in Fig. 1, especially the case with older adults who have exposed to air pollution for 20 years by Wenzhou immigrants from China with skills in leather and textile coloring. There are seven active volcanoes (Campi Flegrei, Vesuvius, Stromboli, Panarea, Vulcano, Etna, Campi Flegrei del Mar di Sicilia). Although there were no recent volcanic eruptions, the volcanic activity produced the toxic volcanic chemicals (SO₂, H₂S, HCl, HF, H₂SO₄) (USGS, 2011). Provinces near volcanoes showed low confirmed coronavirus cases and (deaths): Sicily 3,411 (268), Umbria 1,427 (74), Calabria 1,156 (96), Basilicata 393 (27), Molise 422 (22) as of May 7, 2020. However, regions of leather and textile industries showed high cases and deaths %; Lombardy 85,775 (48.4 %), Emilia-Romagna 27,364 (12.4 %), Piedmont 29,885 (11.5 %), Veneto 19,030 (5.7%), Tuscany 9,982 (3.1%), Marche 6,677 (3.1%), Liguria 9,269 (4.3%), Lazio 7,533 (2.0%), which are all the regions of the PO River in Fig. 11. Most of the Italian Provinces are in coastal waters where bottlenose dolphins transmit the COVID-19, as proposed by Kim (2020). As for Italy, there are a few features that caused the sudden rise of the coronavirus with high cases and deaths; 1) Italy is famous for its leather and textile industries, which follow the toxic chemical contamination of the PO River, especially by Chinese immigrants in the 1990s in residential areas rather than in industrial complexes. 2) Italy is a Peninsula country having a long

coastline of 7,600 km with an average depth of 252.5m while the Strait of Sicily is 365m deep. Dolphins prefer the shallow coast with a depth of 25 ft. It appears that the casualties of the Italian coronavirus (COVID-19) mainly occurred in the region of Lombardy Province with the PO River, polluted by chemicals from leather and textile industries including the regions of Emilia-Romagna, Piedmont, Veneto, Tuscany, and Marche. Dual tracks of the inland leather industry and dolphins off the Italian coasts might have caused the heavy casualties of the coronavirus outbreak in Italy. Furthermore, 100,000 Chinese immigrants from mainly Wenzhou, producing cloth products, polluted residential areas in the region of the PORiver. Besides, Italy has oil refineries with a capacity of 1,898, 000 bbl/d. Stack gases such as SO₂, H₂S, CO, O₃, CO₂, and hazardous material in oil refineries, induce air pollution with CO₂ emissions. Italy ranked 11th globally for deaths (34, 7726) as of July 10, 2020.

20 l) Turkey

Turkey ranked 15th in the world for CO₂ emissions (447.9 Mt CO₂). Leather chemicals sell in Turkey (GRAND VIEW RESEARCH, 2019). The leather industry uses very toxic chemicals during leather production, with carcinogenic and derivatives, causing the COVID-19. Turkey has 10 volcanoes. The coastline extends for 7,200 km. The latitude is 41 °N and thus not safe from the COVID-19 resulting in the nation ranked 15th for deaths (5,300) as of July 10, 2020.

21 m) France

France ranked 18th globally for CO₂ emissions (356.3 Mt CO₂). The length of the coastline is 4,853 km. There are 13 active volcanoes. The key parameter causing the COVID-19 in France may be the leather industry and the organic dye industry. The latitude is 48.9 °N and thus out of the safe latitude range. Consequently, France ranked 16th globally for deaths (29, 7782) as of July 10, 2020.

22 n) Germany

There are four volcanoes near Frankfurt. Major coal sites are Ruhr, Essen, Saar near Frankfurt with the Rhine River. The central German area where the Elbe River passes through, is near Leipzig, Lusatia, and Helmstedt areas. There are coal-powered plants nearby. There are gas-powered plants all over Germany, and the Inn and Danube Rivers flow through Augsburg and Munich. The latitude of Germany is 51.5 °N and thus out of the safe latitude range. Germany has the leather textile industry to generate polluted waters, and the oil refineries produce 2,050,000 bbl/d, which in turn to produce toxic stack gases. Dolphins are distributed along the German coastline, which runs for 2,389 km with the North Sea and Baltic Sea spreading the COVID-19. The population of Germany was 82.9 million, with 63.7 million registered cars, which produced CO₂ emissions of 811 million net tons (meaning a global rank of 6th). There are 1,800 small scale factories and medium-to-large-sized enterprises in the German cloth textile industry with 1,204,500 professional workers (KOPTYUG, 2019). Most German textile companies base in the following regions: North Rhine-Westphalia 202, Baden-Wuerttemberg 125, Bavaria 124, Saxony 100, Hessen 43 (https://dw.com/en/love-for-textiles-stillsewn-into-the-fabric-of-saxony-in-eastern_germany).

Major German textile companies correlated with the coronavirus cases distribution along with those of coal- and gas-powered plants. German COVID-19 casualties were mainly caused by the leather textile industry, oil refineries, power stations, vehicle exhaust, and metropolitan food waste biogas. Germany ranked 17th globally for deaths (9,062) from the COVID-19 as of July 10, 2020.

23 o) Canada

Canada places 10th in the world for CO₂ emissions (572.8 Mt CO₂). Canada is one of the major market players of global organic pigments. The coastline extends for 4,964 km. There are five active volcanoes. The latitude of Canada is 53.8 °N and thus out of the safe latitude range. Since a major part of the Canadian coastline is above the Arctic Circle (66 °N), the impact of the COVID-19 reduces by the potent UV-B radiation due to the Arctic ozone depletion (OZONE HOLE, 2019). Canada involves in the leather tanning industry. However, with a high latitude (53.8 °N), it had relatively few COVID-19 deaths (8,797) as of July 10, 2020, ranking 20th in the world. The coastline is on the routes of whale migrations to the feeding grounds of the Arctic Ocean in Canada (Humpback whale breeding grounds of Site # 1 West Indies, # 4 Hawaii; Gray whale breeding grounds of #5 Mexico, # 6 Southeastern Pacific) (KIM, 2020). The major parameters causing the COVID-19 in Canada may be the leather production with toxic chemicals as well as the long coastline for cetacean transmission.

24 p) China

China produces the highest amount of CO₂ emissions in the world (9,838.8 Mt CO₂) and has 162,845,000 registered vehicles. As of 2019, China had the highest number of installed coal-powered plants, amounting to about 1,005 gigawatts. There are 210 oil refineries. China has 39 volcanoes. But no active volcanoes are present. The population was 1.39 billion in 2017. The coastline is 14,500 km. Cetaceans, including whales, dolphins and porpoises, transmitted the COVID-19 pandemic (KIM, 2020). The latitude is 35 °N, and thus, out of the safe latitude range from the COVID-19. China ranked 23th globally for deaths (4,641) as of July 10, 2020. China

released news of 82,929 coronavirus cases with, 6,633 deaths as of May 14, 2020. On the other hand, China announced 84,992 total cases with 4,641 deaths as of July 10, 2020. The number of deaths has significantly reduced since the earlier data of 6,633 on May 14, 2020. Since China produces the highest CO₂ emissions, such data is not in agreement with other countries. CO₂ emissions in China amount to 9.8 billion metric tons. The USA (5.3 billion metric tons) was the worst-hit by the coronavirus (COVID-19) pandemic with 3,118,168 total cases and 132,291 deaths as of July 10, 2020. Since there was a linear relationship between the CO₂ emissions and the coronavirus casualties with correlation coefficients of total cases ($R^2 = 0.8064$) and deaths ($R^2 = 0.7627$) (KIM, 2020), the actual China cases can estimate approximately as follows: It appears that China may have announced 68-fold fewer casualties, for total cases, and 53-fold fewer ones for deaths cases, of the COVID-19 pandemic than those of actual cases in China. q) Sweden CO₂ emissions in Sweden were 63.8 million metric tons in 2018. CO₂ emissions produced by 46 coal-, two fuel oil-, and 1 gas-powered plant, four oil refineries, 4.8 million vehicles' exhaust gases, metropolitan food waste gas, human exhalation from a population of 10.23 million, four leather-tannery factories, and the organic dye industry. There are no active volcanoes. The latitude is 62 °N and thus out of the safe latitude range. Since a major part of the Swedish coastline is near the Arctic Circle (66 °N), the impact of the COVID-19 pandemic reduces by the potent UV-B radiation due to the Arctic ozone depletion. Even though Sweden involves in the leather tanning industry and its CO₂ emissions were 63.8 million metric tons, the country showed a relatively high level of COVID-19 cases, ranking 25th globally for deaths (5,500) as of July 10, 2020. Good parameters against the COVID-19 are as follows: Arctic Circle of Norrbotten county has rich forest area covering 68.92% of land area and agricultural land covering 7.44% of land area. The key parameters causing the COVID-19 in Sweden may be the leather production with toxic chemicals as well as the long coastline stretching 3,218 km for cetacean transmission. Residual hazardous chemicals from 20 manufacturers of leather and related products were released into the 12 rivers in Stockholm county, which polluted the water quality and emitted CO₂, originated from the flue gas of refineries (454,000 bbl/d, 2018) but also from the deteriorated water, similar to the case in Wuhan in China. Organic dyes altering the color of textiles and leather, are the most critical parameters causing the COVID-19 pandemic. There are bottlenose dolphins around in the Baltic Sea. A significant feature of the top 10 counties with coronavirus COVID-19 deaths was a long coastline, which applies to Sweden, as shown in Fig. 5 (POHL, 2017). It can conclude that the COVID-19 in Sweden caused by the automobile industry using leather goods as interior seats of automobiles, including tannery goods. At the same time, dolphins transmitted the COVID-19 to the counties on the coast of the Baltic Sea. These dual tracks from the land of the automobile industry with leather tanning and from the sea by dolphins, for the coronavirus (COVID-19) transmission, might be why Sweden ranked 25th for COVID-19 cases, as of July 10, 2020, which is despite Sweden being ranked far down the international list in 70th for CO₂ emissions (44.8 Mt CO₂ / year).

25 r) Indonesia

Indonesia ranked 10th globally for CO₂ emissions (486.8 Mt CO₂). There are 76 active volcanoes. Indonesia has 1,057,000 bbl/d of oil refinery capacity, which produces toxic stack gases, inhibiting the activity of the coronavirus. Other negative parameters inducing the COVID-19 are dolphin residency, and Chinese people arriving on business from Wuhan in China. There is a high population of Chinese Indonesians (nearly 3 million), 38 coal-, 15 oil-, and natural gas-powered plants, nine oil refineries, 22,513,000 registered vehicles, a high population of 264 million. Indonesia has dolphins along the 54,716 km coastline. Indonesia is an exporter of raw leather material to the world, which causes pollution in the water as well as in the air, leading to its global rank of 26th for deaths (3, ??69) as of July 10, 2020. Its rank reduced by the safe latitude (6°N), active volcanoes (76 actives), and enough forest (52.1%) and agricultural land (31.46%) to convert harmful CO₂ to good O₂ against the COVID-19 pandemic.

26 s) Ecuador

CO₂ emissions were 40.0 million metric tons. The coastline is 2,237 km. There are 27 volcanoes. The latitude is 2 °S and thus within the safe latitude range from the COVID-19. There are three oil refineries with a net capacity of 175,000 bbl/d. Volcanic gases and stack gases from oil refineries such as H₂S and SO₂ help reduce the coronavirus cases, as explained in Equation (2) for New Zealand (22) and Iceland (10) with deaths in parenthesis. One out of 50 firms used the traditional vegetable tanning without chemicals ??GERULAITYTE, 2018). Provinces near Cotacachi, such as Esmeraldas (43) and Imbabura (11), had a relatively low number of deaths. There were many deaths in the provinces of Guayas (1,059), Manabi (252), Pichincha (105) via Los Rio (76), and El Oro (114), as of May 14, 2020. Those provinces are all in contact with either the Pacific Coast, estuaries or rivers. Dolphins live off the Ecuadorian Coasts and in the Rivers. The high casualties in Ecuador were all shown in the areas of the coast, the estuarine, or where dolphins can approach. Ecuador ranked 29th globally with 64,221 total cases and 4,900 total deaths as of July 10, 2020.

27 t) Belgium

CO₂ emissions in Belgium were 94.7 million metric tons, produced by three coal-powered and 18 gas-powered plants, four oil refineries, 6,426,000 registered vehicles producing exhaust gases, metropolitan food waste gas, human exhalation gas from a population of 11.5 million, seven leather-tannery factories, and the organic dye

industry. Belgium is one of the leading exporters of leather footwear. The key parameters causing the COVID-19 in Belgium may be the leather industry and the dye industry. Belgium ranked 30th globally with 62,357 total cases and 9,781 deaths as of July 10, 2020.

28 u) The Philippines

The Philippines had a population of 106.7 million and produced 157.6 million metric tons of CO₂ emissions. The Philippines have 23 active volcanoes, the volcanic fumes of which might reduce further casualties in the Philippines. Good parameters for the Philippines against the COVID-19 are volcanoes and a safe latitude location. Negative ones in favor of the COVID-19 are CO₂ emissions, dolphins along the 36,289 km coastline, the population of 105 million, 19 coal-powered plants, ten diesel-powered plants, five gas-powered plants, three oil refineries, and the leather industry. There are many Chinese people from Wuhan of China working in the leather industry, which causes water pollution by toxic chemicals in the leather tanning process. The latitude of the Philippines is 14°N. Therefore, in non-volcanic countries, people can easily protect themselves from the COVID-19 pandemic by spraying small amounts of artificial volcanic gases such as SO₂ and H₂S, as described in the section of II. e). Japan ranked 56th globally for deaths 982 as of July 10, 2020.

29 y) South Korea

South Korea ranked 9th globally for CO₂ emissions (616.1 Mt CO₂) and has a population of 51.5 million. There are no volcanoes. The latitude is 37.5°N and thus not safe from COVID-19. Helpful parameters are such as clean forestry and rivers with even distribution of industrial complexes along the coastline. The textile industry for coloring and dolphins. South Korea had the most casualties in Daegu city, which has 109 dyeing factories (as of 1994). They used toxic chemicals such as Chinese dyes, domestic caustic soda, sulfuric acid, hydrochloric acid, acetic acid, and surfactant, for coloring. Residual harmful chemicals released into the Geumho River in Daegu city, which polluted the water quality and emitted carbon dioxide from the flue gas. Indo-Pacific bottlenose dolphins can be found around Jeju Island in South Korea, and common dolphins can find in the coastal area of Ulsan and Pohang, and in coastal areas in the Yellow Sea between China and South Korea. Since not many dolphins approach the South Korean coast, their effect on the COVID-19 was minor. Oil refineries, natural gas and coal-powered power plants. There are five oil refineries with a refinery capacity of 2,799,000 bbl/d. Since they locate on the coastal areas, their stack gases fly over the East Sea or the Yellow Sea, providing toxic stack gas enough to repel the coronavirus activity. Significantly, there are no deaths in the well distributed oil refinery cities of Ulsan (East Sea), Yeosu (South Sea), Daesan (Yellow Sea middle), and Incheon (Yellow Sea top). There are 33 coal-powered plants on the coasts of the Yellow Sea and the East Sea, which emit flue gases that fly over the seas without seriously affecting the COVID-19. No power plants are present in residential areas. Vehicles and population are well-distributed around South Korea. Forest (63.35%) and agricultural lands (22%) of South Korea are covered by green zones with clean air from the conversion of harmful CO₂ to good O₂ which acts against the COVID-19. South Korea is, however, vulnerable to the COVID-19 because of the textile and dye industry in Daegu city, which led to significant (66%) casualties (189 deaths with 288 deaths nationally) from the COVID-19 pandemic as of July 10, 2020. South Korea ranked 64th globally with deaths 288 as of July 10, 2020.

IV.

30 Conclusion

The present study proposes vaccine, protection, emergence, propagation, and termination associated with the coronavirus (COVID-19) pandemic. The case studies for 25 worst-hit countries showed major causes such as leather tanning industry ($R^2 = 0.8514$), global coastline ($R^2 = 0.7864$), USA coastline ($R^2 = 0.3099$), USA refinery ($R^2 = 0.4874$), CO₂ emissions ($R^2 = 0.7627$), population ($R^2 = 0.3748$), and minimum sunspot number ($R^2 = 0.8907$) with COVID-19 pandemic. Therefore, COVID-19 can globally decrease by reducing toxic chemicals during leather industry.

The present study proposes that the 11-year cyclic sunspot number is analogous to a SWITCH, turning ON and OFF an epidemic, inducing a public health crisis. The ON period by the minimum (maximum) sunspot number initiated mutant viruses (AIV, SARS, MERS-CoV, and COVID-19) to transmit from the Poles to Continents by migratory birds and humpback whales. The first COVID-19 arrival dates in China, USA, Japan, Mexico, and Hawaii, determined by the distance between feeding grounds and breeding areas of humpback whale habitats.

The breeding period of the whales is from December to April, while the feeding period is from May to September (or from June to October). The human incubation period is from 2-14 days to possible outliers 0-27 days. Therefore, the termination of COVID-19 expects in July with an additional one month of human incubation to June. However, it takes another one month for whale migration to be August as the ultimate termination timing of the COVID-19.

There can be a competition of virus survival between the present COVID-19 and the newly arrived

The COVID-19 vaccines, 1) sample both at the Arctic Ocean and the Antarctic Peninsula for the feeding grounds of humpback whales, 2) culturing plasma from people who have recovered from COVID-19 and plasma from CMV infected cetaceans, 3) 4 kinds of plasma preparations depending on the source (humans and cetaceans) and virus diseases (COVID-19 and CMV) as; fresh human plasma, human one confirmed by COVID-19, fresh

cetacean plasma, and cetacean one infected by CMV,4) inoculates and incubates at 37° while the virus inactivates at a high temperature, 5) use as one of 5 types of vaccines among live attenuated, inactivated, toxic, subunit, and conjugate ones,6) application to humans by the stepwise methods in vitro P3 Lab test at petri dish for the initial efficacy of curing the human lung cell infected by the COVID-19. In vivo human tests (confirmed, recovered, and healthy), determine the final efficacy and the stability of the developed COVID-19 vaccines to protect the human body's immune system to reduce the COVID-19 symptoms,7)genetic modification of the present MMR (Measles, Mumps, and Rubella) vaccine with the cetacean host, may allow the low titers of the attenuated COVID-19vaccines to last long and safe.

Screenings by physical (body temperature), chemical (H₂S detector), biological (blood test), and radiological (computerized tomography) kits may separate the infected patient from the healthy ones for the safe situation from the COVID-19 pandemic.

As for the emergence of COVID-19, the breeding period of humpback whales begins from December to April. Adding one month for the human incubation period of COVID-19 pandemic to December, it expects that the COVID-19 pandemic would emerge in January 2020. On January 19, 2020, a 35-year-old man in Seattle of Washington was the first case of COVID-19 in the USA, while on January 16, 2020 there was the first case of COVID-19 in Japan.

An additional month added to January can be applicable if the route is from Alaska to the breeding grounds of Baja California of Mexico with a distance of 4,374 km. Thus, the first case of COVID-19 in Mexico was February 28, 2020 as arrival date, which was close to one month added to the case of Seattle (January 19, 2020). The distance between Hawaii and the Bering Sea in Alaska is 4,486 km, which is a little farther than Baja virus for a few months. Similarly, a new type one may appear in September of 2020 from the Poles. There can be a competition of virus survival between the COVID-19 and the newly arrived virus at Continents for a few months so that the COVID-19 may competitively inhibit the new virus and fade away, as used to occur in toxic cyanobacteria in the lake. The OFF period occurs during the high sunspot number (> around 25-50) and may terminate the COVID-19 pandemic in September (optimistic prediction) or in November 2020 (pessimistic one). There were three typical cases of COVID-19 termination, based on the newly reported case by day in coronavirus map and case count by the New York Times as follows.

31 Medical Research

Case 1 with bell curve decrease; Tokyo, Germany, U.K., Italy, Spain, France, Canada, USA (NY, NJ, RI, NH, MD, MA, CT, AZ, UT, DC), Case 2 with stepwise increase; Brazil, Mexico, India, Russia, Peru, Ecuador, Chile, Belgium, USA (CA, FL, NC, SC, GA, AZ, OR, TX, AL, ID, TN, WI, MI, MO, AR, KY, NV, NE, WY, AK, PR), Case 3 with see-saw increase; Israel, USA (ME VA, PA, DE, WA, CO, MI, IL, VT, LA, OH, IN, MN, IA, KS, WV, SD, ND, HI).

The main parameters caused by the COVID-19 for Case 1 could be the cetaceans, including whales, dolphins, and porpoises. Case 2 could be the leather tannery industry; exporting hides to other countries. Case 3 for the mixed causes. Japan's virus success simply caused by the presence of volcanic gases from volcanoes, whose acidity and toxicity inhibited the coronavirus (COVID-19) pandemic, as in other volcanic countries such as Italy, Indonesia, Philippines, and Ecuador.

¹© 2020 Global Journals

²Vaccine, Emergence, Termination, Sunspot Number as ON-OFF Switch for COVID-19 Pandemic with 25 Worst-Hit Countries




Figure 1: Table 1 :





Figure 2: Figure 2 :

New reported cases by day in California



These are days with a data reporting anomaly. Read more [here](#).

Note: The seven-day average is the average of a day and the previous six days of data.

Figure 3:


New reported cases by day in Maine



Note: The seven-day average is the average of a day and the previous six days of data.

3

Figure 4: Figure 3 :



4

Figure 5: , 4 .



Figure 6:



4

Figure 7: Figure 4 :



5

Figure 8: Figure 5 :




6

Location in the state of New York

Figure 9: Figure 6 :




Figure 11: Figure 8 :



9

Figure 12: Figure 9 :



9

Figure 13: Fig. 9



Figure 14: Figure 10 :

Figure 15:

China 1,390, 25. Sweden 10,26. Indonesia 264, 29.
Ecuador 17,30. Belgium 12, 35. Philippines 107, 37.
Netherlands 17, 44. Israel 9,56. Japan 127, 64. South
Korea 52.

Figure 16:

Orebro,
Stockholm
Ostergotland (1,975), Uppsala (1,883), Orebro (1,795),
Skane (1,704), Sodermanland (1,623), Jonkoping
(1,508), Vastmanland (1,264), Gavleborg (1,258), while
(12,060), Vastmanland (1,264), Gavleborg (1,258), while
(12,060), Vastmanland (1,264), Gavleborg (1,258), while

Figure 17:

w) Israel

x) Japan Japan ranked 5th globally for CO₂ emissions (1,205.1 Mt CO₂) with a population of 126.8 million. The coastline of Japan is 29,751 km. There are 110 volcanoes. The latitude is 35 °N and thus not safe from COVID-19 pandemic. Favorable parameters against the coronavirus are 110 active volcanoes, rich forests and mountains (67 %), and agricultural land (12.26 %). Negative parameters are as follows: Leather. Hyogo leather's white color naturally creates by the tanning process. Japan produces textiles to cause the water pollution and worsen the coronavirus outbreak. Dolphins. Approximately 22,000 dolphins killed annually for Japanese meat. Dolphins lead to a high number of coronavirus (COVID-19) cases (KIM, 2020). Osaka (1,967/86), Kanagawa (1,685/97), Chiba (1,078/46), Saitama (1,396/67), Hyogo (726/43), Fukuoka (908/33), Hokkaido (1,289/101), Aichi (531/34), Kyoto (430/18), Ishikawa (300/27), Ibaraki (196/10), Gifu (162/7). The second group is Prefectures near the volcanoes with negligible casualties; Northeast Honshu Arc area of Aomori (29/1) (Mt. Iwaki), Iwate (0/0) (Mt. Iwate), Akita (16/0) (Mt. Akita-Yakeyama), Southwest Honshu Arc area of Tottori (4/0) (Mt. Daisen), Shimane (24/0) (Mt. Sanbe), Okayama (28/0) (Mt. Shintake), Tokushima (10/1) (Mt. Ishizuchi), Ryukyu Arc area of Saga (47/0) (Mt. Sefuri), Nagasaki (20/1) (Mt. Unzen), Miyagi (100/1) (Mt. Kirishima), Miyazaki (17/0) (Sakurajima Volcano), Kagoshima (132/0) (Mt. Sakurajima).

v) The Netherlands

CO₂ emissions were 163.4 million metric tons and has a population of 17.3 million. There are two active volcanoes, nine oil refineries, 12 coal-and 12 gas-powered power plants, and dolphins causing the coronavirus outbreak. The coastline is 451 km. The latitude is 52 °N and thus not safe from the COVID-19. Netherlands ranked 37th globally with 6,156 deaths as of July 10, 2020.

Figure 18:

.1 Acknowledgment

The author expresses sincere gratitude to the University of Suwon, WARE VALLEY, and G-LAND of South Korea for their financial supports. Editing and typing works undertaken by Professor Jonathan Wright are also greatly appreciated.

- [Numbers. Bureau of Meteorology. Australian Government] , *Numbers. Bureau of Meteorology. Australian Government*
- [United States Geological Survey USGS ()] , *United States Geological Survey USGS* 2011. p. 22.
- [Ecopol-Home ()] , Ecopol-Home . <https://leathersustainability.weebly.com> 2020.
- [Johns Hopkins Coronavirus Resource Center ()] , *Johns Hopkins Coronavirus Resource Center* 2020. Johns Hopkins University.
- [Average sunspot number Solar Dynamics Observatory ()] ‘Average sunspot number’. *Solar Dynamics Observatory*, 2008. 1980 -2008. NASA.
- [Kim ()] ‘Causes and preventions of coronavirus (COVID-19) during minimum sunspot number’. T Kim . *Global Journal of Medical Research: KInterdisciplinary* 2020. 20 (7) p. .
- [Fleming (2019)] ‘Chart of the day: These countries create most of the world’s CO 2 emission’. S Fleming . *World Economic Forum* 2019. June 2019. p. 7.
- [Frohlich and Blossom (2019)] ‘China, US: These countries produce the most CO 2 emissions’. T C Frohlich , L Blossom . Stylish Stories. Northjersey.com 2019. July 23, 2019.
- [Sinobiological ()] *Coronavirus vaccine*, Sinobiological . 2020.
- [Callaway (2020)] *Coronavirus vaccine trials have delivered their first results-but their promise is still unclear*, E Callaway . NEWS. 19. 2020. May 2020.
- [He et al. ()] ‘Curcumin, inflammation, and chronic diseases: How are they linked?’. Y He , Y Yue , X Zheng , K Zhang , S Chen , Z Du . *Molecules* 2015. 20 p. .
- [Daily sunspot number Space Weather Prediction Center ()] ‘Daily sunspot number’. *Space Weather Prediction Center* 2020. (NOAA)
- [Draft landscape of COVID-19 candidate vaccines World Health Organization (2020)] ‘Draft landscape of COVID-19 candidate vaccines’. *World Health Organization* 2020. April 20.
- [Research and Seeking (2020)] *Energy information administration, Bluegold Research estimates, and calculations*, Bluegold Research , Alpha Seeking . 2020. March.
- [Saxena et al. ()] *Environmental pollution, toxicity profile and treatment approaches for tannery wastewater and its chemical pollutants. Reviews of Environmental Contamination and Toxicology*, G Saxena , R Chandra , R Bharagava . 2016. p. 240.
- [Sun and Henderson ()] ‘Estimation of refinery water consumption and allocation to refinery products’. P Sun , R Henderson . *Fuel* 2018. 221 p. .
- [Jo ()] ‘Evolutionary evidence for multihost transmission of cetacean morbillivirus’. W Jo . *Emerg Microbes Infect* 2018. 7 p. 201.
- [Exhaust gas temperature (EGT) SKYbrary Flight Safety ()] ‘Exhaust gas temperature (EGT)’. *SKYbrary Flight Safety*, 2017.
- [Field listing: Coastline-The World Factbook CIA ()] ‘Field listing: Coastline-The World Factbook’. *CIA* 2020.
- [Garlic boosts hydrogen sulfide to relax arteries. Science Daily (2007)] *Garlic boosts hydrogen sulfide to relax arteries. Science Daily*, 2007. October 17, 2007. University of Alabama at Birmingham
- [Global leather chemicals market size ()] *Global leather chemicals market size*, 2019. 2019-2025. Grand View Research (Industry Report)
- [Wu and Sheehan ()] ‘Globalization and vulnerability of Chinese immigrant workers in Italy: empirical evidence of working conditions and their consequences’. B Wu , J Sheehan . *Journal of Contemporary China* 2011. 20 p. .
- [Dumont ()] ‘H 2 S removal from biogas using bioreactors: a review’. E Dumont . *International Journal of Energy and Environment. International Energy & Environment Foundation* 2015. 6 p. .
- [Corman ()] ‘Hosts and sources of endemic human coronavirus’. V Corman . *Adv. Virus Res* 2018. 100 p. .
- [Humpback whale (Megapteranovaeangliae) ()] *Humpback whale (Megapteranovaeangliae)*, 2015.
- [Rigby ()] ‘Increase in CFC-11 emissions from eastern China based on atmospheric observations’. M Rigby . *Nature* 2019. 569 p. .
- [Influenza type A viruses CDC 24/7. National Center for Immunization and Respiratory Diseases (NCIRD) ()] ‘Influenza type A viruses’. *CDC 24/7. National Center for Immunization and Respiratory Diseases (NCIRD)*, 2017. (CDC)

- [Shafaei et al. ()] 'Investigation of leather industry competitiveness in Iran'. R Shafaei , H Shahriari , M Moradi . *Journal of Fashion Marketing and Management* 2019. 13 p. .
- [Japan confirms first case of coronavirus that has infected dozens in China. Kyodo Japan Times (2020)] 'Japan confirms first case of coronavirus that has infected dozens in China. Kyodo'. *Japan Times* 2020. January 16, 2020.
- [Koptyug ()] E Koptyug . *Forecasted revenue development in textiles and clothing in Germany 2011-2023 consumer goods & FMCG. Statista*, 2019.
- [Judaica ()] *Leather Industry and Trade-Jewish Virtual Library. The Gale Group*, Encyclopedia Judaica . <https://www.jewishvirtuallibrary.org/leather-industry-trade> 2008.
- [Walzer ()] *Leather industry, Encyclopedia of Milwaukee*, J Walzer . <https://emke.uwm.edu/entry/leather-industry/> 2016.
- [Fuller ()] 'Mapping the risk of avian influenza in wild birds in the US'. Fuller . *BMC Infectious Diseases* 2010. 10 p. 187.
- [Monthly Sunspot ()] *Monthly Sunspot*, 2020.
- [Sorace (2019)] *More than 130 dolphins dead in mysterious mass stranding*, S Sorace . 2019. September 30, 2019. New York Post: Fox News.
- [Ward ()] 'Over 100 dead dolphins found stranded on beach'. A Ward . *World News. Animals. LAD BIBLE* 2019.
- [Ozone Depletion The Arctic ()] 'Ozone Depletion'. <https://www.ozone-hole.org.uk/08.php> *The Arctic*, 2019.
- [Leger et al. ()] *Pathology of Wildlife and Zoo Animals*, J S Leger , S Raverty , A Mena . [org/10.1016/B978-0-12-805306-5.00022-5](https://doi.org/10.1016/B978-0-12-805306-5.00022-5). 2018. 564 p. . (Cetacea, Chapter 22)
- [Piechotta (2020)] *Plasma from people who have recovered from COVID-19 to treat individuals with COVID-19*, V Piechotta . WHO. 10. 2020. July 2020. Cochrane Library. Haematology Group
- [Kim ()] 'Predictions of El Niño, La Niña and record low Chicago temperature by sunspot number'. T Kim . *Natural Science* 2019. 11 p. .
- [Kim ()] 'Prevention of avian influenza virus by ultraviolet radiation and prediction of outbreak by satellite parameters'. T Kim . *Journal of Biomedical Science and Engineering* 2018. 11 p. .
- [Casola ()] *Role of hydrogen sulfide in viral infections*, A Casola . 2018. National Institute of Health
- [Wolfe (2019)] 'Scientists are worried that a thousand gray whales have died so far this year. Starved and Stranded'. D Wolfe . *Novel Coronavirus-Japan*, (San Francisco) 2019. July 20, 2019. 61. 2020. World Health Organization.
- [Bas ()] 'Selection of critical habitats for bottlenose dolphins (*Tursiops truncatus*) based on behavioral data, in relation to marine traffic in the Istanbul Strait, Turkey'. A Bas . *Marine Mammal Science* 2015. 31 p. .
- [Callaway et al. (2020)] 'Six months of coronavirus: the mysterious scientists are still racing to solve'. E Callaway , H Ledford , S Mallapaty . *Nature* 2020. 09 July 2020. 583 p. .
- [Ichikawa et al. ()] 'Somatic mutation frequency in the stamen hairs of *Tradescantia* KU 7 and KU 9 clones exposed to lowlevel gamma rays'. S Ichikawa , C S Takahashi , C Nagashimai . *Jpn.. J. Genet* 1981. 56 p. .
- [Spanish Tanners Confederation CEC-FECUR ()] *Spanish Tanners Confederation CEC-FECUR*, 2008. (Social report and environmental report 1. of the Spanish leather industry)
- [Sunlight, UV radiation, and the skin National Institutes of Health (1989)] 'Sunlight, UV radiation, and the skin'. *National Institutes of Health* 1989. May 8-2010. 7 (8) p. . (NIH Consensus Statement)
- [Pohl ()] *The automotive industry in Sweden. A cluster study. Vinnova Analysis VA*, H Pohl . 2017. 2017. p. 4.
- [Max (2018)] 'The Chinese workers who assemble designer bags in Tuscany. Chinese Heritage Foundation'. D Max . *New Yorker Magazine* 2018. April 16. 2018.
- [Memodovic and Mattile ()] 'The global leather value chain: the industries, the main actors and prospects for upgrading in LDCs'. O Memodovic , H Mattile . *Internal Journal of Technological Learning. Innovation and Development I* 2008. p. .
- [Hathaway ()] *The Solar Cycle. Living Reviews in Solar Physics*, D H Hathaway . 10.12942/lrsp-2010-1. <https://doi.org/10.12942/lrsp-2010-1> 2010.
- [Giugliano and Ranzi ()] 'Thermal treatments of waste. waste to energy. Reference Module in Chemistry'. M Giugliano , E Ranzi . 10.1016/B978-0-12-409547-2.11523-9. *Molecular Sciences and Chemical Engineering* 2016.
- [Kim ()] 'Transmission and prevention of Wuhan coronavirus disease 2019 (COVID-19) during minimum sunspot number'. T Kim . *Global Journal of Medical Research: F Disease* 2019. 20 (3) p. .

- [Kim ()] ‘Transmission of avian influenza virus by humpback whale and its stranding along the Atlantic Coast with CO₂ emissions’. T Kim . *Journal of Biomedical Science and Engineering* 2018. 11 p. .
- [Understanding how vaccines work Centers for Disease Control and Prevention ()] ‘Understanding how vaccines work’. *Centers for Disease Control and Prevention* 2018. (CDC)
- [Modrow ()] ‘Viruses with singlestranded, positive-sense RNA Genomes’. S Modrow . *Molecular Virology*, (Berlin. Heidelberg) 2013. Springer. p. .
- [Gallagher and Schleyer ()] ‘We signed up for this!’ -Student and trainee responses to the covid-19 pandemic’. T H Gallagher , A Schleyer . 10.1056/NEJMp2005234. *N. Engl. J. Med* 2020. 382 p. e96.
- [Cleantech (2019)] *What are vehicle exhaust emissions?* *Clean Tech 101*, Azo Cleantech . 2019. 19th of August 2019.
- [Jackson ()] ‘Which countries produce the most leather 2020?’. Buffalo Jackson . *Buffalo Trading Company*, 2020. 2020.
- [Cgtn (2020)] *Who is ‘patient zero’ of COVID-19 pandemic? Here’s what we know*, America Cgtn . 2020. March 30, 2020.
- [Zim scientists discover ‘ozone hole’ over South Africa Southern Times (2019)] ‘Zim scientists discover ‘ozone hole’ over South Africa’. *Southern Times*, 2019. February 25.