

# Development and Validation of a Yoga Module for Adolescents with Type 1 Diabetes

Sonu Maurya<sup>1</sup>, Dr. Itagi Ravi Kumar<sup>2</sup>, Dr. Amit Singh<sup>3</sup> and Dr. R. Nagaratna<sup>4</sup>

<sup>1</sup> SVYASA University, Bangalore

Received: 13 December 2019 Accepted: 2 January 2020 Published: 15 January 2020

## Abstract

Background: Most adolescent patients with type 1 diabetes (T1D) do not meet treatment goals, which increases their risk for diabetes-related complications; therefore, finding ways to improve adherence to therapy is crucial. Yoga is known to more people as physical posture and a way to glycemic variability management strategy. The previous study has reported the beneficial role of yoga in improving glycemic variability and autoimmune disorder. However, a validated yoga module for T1D, is unavailable.

Development and Validation of a Yoga Module for Adolescents with Type 1 Diabetes Strictly as per the compliance and regulations of: 2020 Objective: This study developed and validated a Junior yoga module (JYM) for adolescents with T1D.

**Index terms**— autoimmune disorder, type 1 diabetes, yoga and diabetes, yoga, adolescents.

## 1 Introduction

Most adolescent patients with type 1 diabetes (T1D) do not meet treatment goals, which increases their risk for diabetes-related complications; therefore, finding ways to improve adherence to therapy is crucial (Patel et al., 2018). Type 1 diabetes (T1D) develops in genetically predisposed people as a result of the destruction of the pancreatic beta cells caused by an autoimmune insulinitis (Briscoe et al., 2007; Sharma, 2017). Increased thirst, frequent urination, bed-wetting in children and adolescents who previously didn't wet the bed during the night, extreme hunger, unintended weight loss, irritability and other mood changes, fatigue, and weakness, blurred vision are some major symptoms (Fowler, 2008; Kalra et al., 2013).

Adolescents experience significant physiological and psychosocial changes during this developmental stage, including increased insulin resistance related to pubertal hormones, significant weight gain, higher insulin needs, and independence from parents. Unfortunately, this newfound autonomy often results in problems with T1D. It may further exacerbate poor glycemic control. Besides, adolescents with chronic hyperglycemic conditions may be more likely to engage in high-risk behaviors, such as drug and alcohol use, cigarette smoking, etc. (Comeaux, 2010; Patel et al., 2018; Weitzman et al., 2015).

Yoga is a mind-body intervention and comprises physical practice (āsana), breathing technique (prāṇāyāma), and meditation, and relaxation techniques. Yoga is a popular complementary and alternative medicine modality worldwide (Falkenberg et al., 2018).

Many studies have reported several health benefits of yoga for a clinical condition such as asthma, diabetes, pulmonary tuberculosis, epilepsy, fibromyalgia, and arthritis (Cramer, 2015; Gowtham, 2018; Hongasandra, 2017) (Falkenberg et al., 2018), improvements in physical fitness, immune activity (Kosuri & Sridhar, 2009), improved beta-cell function (Raj, 2016), and reduced stress as physiological mechanisms for beneficial effects of yoga on the immune system in adolescents (Sahay, 2007; Mohan et al., 2005; Szablewski, 2014).

## 2 II.

### 3 Quality of Life and Type 1 Diabetes

Children with type 1 diabetes mellitus (T1DM) have to deal with a complex and demanding daily treatment regime, which can harm the quality of life (QoL) of these patients (Rasoul et al., 2013). Although children and adolescents with T1DM have to live with a demanding treatment regime, overall results revealed that their generic QoL is not impaired compared to healthy peers (Duru et al., 2015). Young adults with Type 1 diabetes mellitus are a high-risk group with suboptimal glycemic outcomes when compared with older adults with Type 1 diabetes (Ambler et al., 2006). Management is challenging because of psychosocial issues; for example, body image perceptions (Neumark et al., 2002), the increased incidence of psychiatric illness (Bernstein et al., 2013), eating disorders (Quick et al., 2012), and impaired quality of life (Kibbey et al., 2013; Ingerski et al., 2010). Some studies suggest that low glycemic variability may be associated with lower quality of life, negative moods, blood glucose fluctuations (Penckofer et al., 2012). A meta-analysis of 27 studies demonstrated that depression is majorly associated with hyperglycemia for type 1 diabetes (Lustman et al., 2000). Moods such as anxiety and anger often accompany depression with type 1 diabetes (Peyrot & Rubin, 1997); anxiety is associated with poor glycemic control (Anderson et al., 2002). Anger is also linked to depression (Pasquini et al., 2004). It is associated with glucose fluctuation and poorer self-management of hyperglycemia for persons with type 1 diabetes.

For persons with type 1 diabetes, high glucose values suggest to impact mood negatively, positive mood rating decreased, whereas negative mood ratings increased, tension and anger is reported to be higher in type 1 diabetes individuals in the hyperglycemic range compared with those in the hypoglycemic range with continuous glucose monitoring (CGM) (Hermanns et al., 2007). However, glycated hemoglobin (HbA1c) has been the standard for assessing glycemic control, glycemic variability (Hirsch, 2005).

## 4 III.

### 5 Yoga and Immune System

Yoga is an ancient mind-body practice that is increasingly recognized to have health benefits in a variety of clinical and non-clinical conditions (Falkenberg et al., 2018). Among various types of yoga, emphasizing both physical and mental training, and typically consists of yoga poses, breathing, and meditation (Nagendra, 2003). It is stated that yoga not only increased physical endurance but also reduced pro-inflammatory markers such as interferon  $\gamma$  (INF- $\gamma$ ), interleukin-6 (IL-6), interleukin-2 (IL-2), and stress level (Pullen et al., 2008). Based on these results, yoga practice is required to achieve consistent effects, especially on circulating inflammatory markers (Falkenberg et al., 2018), improvements in physical fitness, immune activity (Kosuri & Sridhar, 2009), improved beta-cell function (Raj, 2016), and reduced stress as a physiological mechanism for beneficial effects of yoga on the immune system (Sahay, 2007; Mohan et al., 2005; Szablewski, 2014). The practice of yoga reduced inflammation and smaller autonomic, endocrine, and inflammatory response to the stressors and novices. The yoga practice demonstrated more rapid declines (recovery) in stress hormone and proinflammatory cytokines production and better glycemic control in T1D (Sreedevi, 2017). Yoga is a cost-effective option in the treatment and prevention of autoimmune disorder, with data from several studies suggesting that yoga and other mindbody therapies can reduce stress-related hyperglycemia and have a positive effect on glycemic control, balancing harmonizing the body, mind, and emotions. Increasing evidence suggests that yoga practice tackles the pro-inflammatory mechanisms of T1D and helps in controlling autoimmune disorders (Amita et al., 2018).

## 6 a) Materials and methods

The content validity of JYM for adolescents with T1D is assessed by a panel of 20 experienced yoga experts. The JYM for children and adolescents with T1D is developed in the form of tailor-made yoga practices that are supported by classical texts and research evidence.

All the 41 practices in the JYM, is discussed and rated as i.

Not essential, ii.

Useful but not essential, iii. Essential.

Lawshe's formula is adopted to arrive at the content validity ratio (CVR) after obtaining the ratings.

## 7 Figure

The steps followed to execute the above-mentioned methods are as follows:

Step 1: Compilation of literature on Type 1 diabetes Step 1: Compilation of literature on yoga and diabetes

a. In this phase, we reviewed traditional and contemporary yoga texts. b. Research paper on the use of yoga in diabetes, immune and metabolic disorders, including modern scientific reviews of T1D, were identified using different search engines such as Pub Med and Google Scholar. Indexing terms such as yoga immune disorder, metabolic disorder, and yoga, and diabetes. All experimental studies that used yoga as the therapy for diabetes are included.

---

Step 2: Shorting the literature on yoga and diabetes A summary of the literature is tabulated for a quick overview. Then, studies done on different practices and published in journals as a scientific background is extracted.

## 8 Step 3: Preparing yoga module based on previous literature on yoga and diabetes

Based on classical texts and research evidence a detailed protocol with tailor-made practices is developed.

## 9 Step 4: Validation of JYM by expert

Yoga experts with clinical experience are provided with this complete module (who had either a doctorate or Doctor of medicine degree in yoga, with a minimum of 5 years experience or a Master's degree in yoga/ yoga therapist, with a minimum of 7 years experience). These experts were requested to participate in evaluating the content validity for the proposed instrument on a 3-point scale rated as follows: (i) not essential (has no role in improving any symptoms or the quality of life of patients with T1D), (ii) useful but not essential (useful in improving general wellbeing, but the benefits are not specific to T1D symptoms), and (iii) essential (very effective for T1D).

An expert panel, including 20 experts with the above qualifications, involved for determining the content validity. Experts in yoga therapy with clinical experience ( ≥5 years) were also considered yoga experts. Among the 20 experts, more than ten has previously applied yoga therapy in patients with diabetes and were already using most of the practice included in this module.

The CVR for the total scale was computed based on expert validation. According to Lawshe's formula, if more than half of the panelists indicate that an item is essential, then that item has the minimum content validity. The CVR for our scale was 0.49, which was considered satisfactory for a panel of 20 experts.

## 10 b) Statistical Analysis

The cut-off value of 0.49 is calculated by applying Lawshe's formula for CVR (Lawshe, 1975). The mean CVR across the item indicated the overall test content validity.

Where,  $N_e$  = total number of panelists indicating "essential" for each practice.  $N$  = total number of panelist IV.

## 11 Result

The data analysis showed that out of 41 JYM practices, 27 indicated significant content validity in (Table 1). 14 practice (Table 2) had a CVR score of below 0.49, indicating low content validity.

## 12 Pārçva Ürdhva Hastāsana

## 13 Tāḍāsana Pratyāgama

Mountain pose twist 5 each side 1 c.

## 14 Bhūnaman Pratyāgama

Greeting the earth pose with twist 5 each side 1 d.

## 15 Naukāsaī cālana

Rowing the boat flow 5 1 4. Specific breathing practice for Type 1 Diabetes mellitus a.

## 16 Vyāghra Çvāsana

## 17 M aëḍūkāsana

Frog pose 1 1 c.

## 18 Garbhāsana

Embryo pose 1 1 d.

## 19 Ūñörāsana

Camel pose 1 1 e.

## 20 Bālāsana

Child pose 1 1 f.

## 21 Pavanamuktāsana

Wind relieving pose 1 1 10. 30 second relaxation after each Āsana (as per the condition) 11. Specific Supine Āsana for Type 1 Diabetes mellitus a.

## 22 Setubandhāsana

Bridge pose 1 1 b.

## 23 Matsyāsana

## 24 Bhujāṅgāsana

Cobra pose 1 1 b.

## 25 Tiriyaka Bhujāṅgāsana

Swaying cobra pose 1 1

1. Specific relaxation after Āsana for Type 1 Diabetes a.

## 26 Çavāsana

Dep relaxation technique 1 5 2. Specific Pranayama for Type 1 Diabetes mellitus a.

## 27 Anuloma-Viloma

## 28 Discussion

In the present study, we developed a JYM for adolescents with T1D by choosing specific yoga practices from the traditional literature and scientific studies on yoga to target certain symptoms of adolescents with T1D. Validated JYM by the yoga experts taking their suggestions is finalized. Similarly, an effort was made to retain only those practices which were rated by all experts as useful. The yoga practices are included, as suggested by the experts. All the experts opined that these practices should be easy for children and adolescents with T1D. Relaxation practice is also included between the session as per the advice of the experts. So, The matching of yoga practices with symptoms of adolescents finalized after reviewing traditional literature (Saraswati, 2004; Ukibodha, 2000). The present study was closely associated with previous studies on the validation of JYM (Ahilan, Vaishali et al., 2012; Campaigne, 1985).

In the present, there is no previous study that focused on the validation of a yoga module for T1D. This study is done in two phases: a) We are designing the yoga module for T1D, b) expert validation of the module for T1D.

In the first phase, the JYM was designed based on literature reviews of traditional text reference and recent research publications. We did not find any direct source for yogic practice capable of improving T1D symptoms. However, the latest Hatha Yogic text has increasingly emphasized on improving health through different yogic practices. Besides, recent findings on T1D reported by several schools of yoga have helped in the formulation of a yoga module for T1D. The CVR calculation for all 41 practices is completed in our yoga module. Of these, 27 practices (CVR?0.42) were included in the validated yoga module (Table 1). The remaining fourteen poses (Table 2) (CVR <0.49), namely Butterfly, Tadasana, (0.1), Dorsal stretch (0.2), Rabbit breathing, Janusirasana, Ardhapadapashchmittanasana, Kurmasana, Bharadwajasana, Salabhasana (0.3), Veerasana, Vyaghrasana, Makarasana, Halasana, Kapalbhati (0.4) were used as a complementary for important posture to stimulate the pancreases and synchronization along with body and mind. These practices were slightly challenging for T1D therapy. Apart from these fourteen practices, the 27 poses included for T1D treatment; thus, the final CVR satisfied the minimum value, as per Lowshe's CVR.

Similar to any other exercise protocol, an ideal yoga module consists of frequencies, intensities, duration, and progression. Determining the appropriate mode depends upon the patient's preference and safety issues associated with the T1D or other conditions. Keeping in view the safety and patient's ability the duration and frequency of the pose customized for practice (Table 3).

Çithilikaraēa Vyāyāma (Loosening Practice) include in this module helped in loosening the joint and strengthen the muscles, which consequently helped in improving the function of abdominal organs (Dhirendra, 1973).

Sūryanamaskāra (Sun Salutation), A series of dynamic yoga posture in a specific sequence, stimulate insulin production through brain signaling, exerting beneficial effects on the glycemic outcome (Raj, 2016).

Yogāsana (Yoga Posture) rejuvenates of pancreatic cells through the alternating abdominal contraction and relaxations involved in yoga practice. Improves blood supply to muscles, enhances insulin receptors expression in the muscles, with forwards bending pose, © 2020 Global Journals manage and pressurizing the pancreas, stimulating insulin secretion (Ahilan, 2015;Eda, 2014).

Çuddhikriyā (Cleansing Processes), Agnisāra Kriyā (stimulating the digestive fire) involves pulling the abdomen in and snapping it backward and forward while holding one's breath. Helps in the producing of insulin and controlling glucose levels in the blood; the effect of this action massage the internal organs and increases blood flow to the area (Kudigra, 2018;Raveendran et al., 2018).

Prāëyāma (regulated breath), Anulomvilom (alternate nostril breathing), improves components of health-related fitness, cardio respiratory endurance, flexibility, and body fat percentages.

Bhrāmaré (humming bee breath), a soothing and calming effect on the mind, improves mental and physical health (Author, 2019;Sreedevi, 2017). Dhyāna (Meditation): This leads to beneficial psychological effects, such as a faster reaction to stimuli and less prone to various forms of stress, anxiety reduction, and blood pressure control. Meditation on the Manipur Chakra (solar plexus), visualization of the pancreas during meditation, gives positive effects on sugar levels (Balaji et al., 2012;Eda, 2014;Raj, 2016).

## VI.

## Conclusion

A comprehensive and traditional texts based yoga module was developed and validated by 20 experts who agree to most of the practices. Whoever, future studies must determine the feasibility and efficacy of T1D.

## Sources of funding None Conflict of interest None

$$CVR = \frac{n_e - N/2}{N/2}$$

Figure 1: Step 2 :

1

SL. no.	Practice Name	CVR	SL. no.	Practice Name	CVR
1	Vyāghra Çvāsana	0.9	15	Pavanamuktāsana	1
2	Pārçva Ūrdhva Hastāsanā	0.5	16	Bhujaḡāsana	0.9
3	TāāāsanaPratyāgama	1	17	Tiryaka Bhujaḡāsana	0.6
4	bhunamanPratyāgama	0.7	18	Dhanurāsana	1
5	Naukāsaicālana	0.9	19	Setubandhāsana	0.6
6	Sūryanamaskāra	1	20	Matsyāsana	0.5
7	Trikoēāsana	0.7	21	Naukāšana	0.7
8	Tiryaka Trikoēāsana	0.8	22	Uttānapādāsana	0.6
9	Pārçvakoēāsan	0.5	23	Çavāsana	1
10	Vakrāsana	1	24	Anuloma-Viloma	1
11	Maëöükāsana	0.9	25	Bhrāmaré	0.8
12	Garbhāsana	0.7	26	Guided Meditation on the Visualization of Pancreas	0.7
13	Ūñörāsana	0.7	27	Agnisāarakriyā	0.7
14	Bālāsana	0.5			

Figure 2: Table 1 :

2

Sl. No	Practice	CVR
1	Sasāṅgāsana Çvāsana(Rabit breathing)	0.3
2	Citrapataṅga(Butterfly)	0.1
3	Dorsal stretch	0.2
4	Tāāsana	0.1
5	Vērāsana	0.4
6	Jānusirāsana	0.3
7	Vyāghrāsana	0.4
8	Ardhapādāpaçcimottānāsana	0.3
9	Kürmāsana	0.3
10	Bhardvājāsāna	0.3
11	Makarāsana	0.4
12	Çalabhāsana	0.3
13	Halāsana	0.4
14	Kapālabhāti	0.4

Figure 3: Table 2 :

3

Year 2020  
50

[Note: F © 2020 Global Journals Special Yoga Module for Type 1 Diabetes Mellitus]

Figure 4: Table 3 :

[Note: a.]

Figure 5: Specific loosening practice for Type 1 Diabetes mellitus



- [Metri et al. (2017)] *Development and validation of a yoga module for Parkinson disease*, K Metri , S Varambally , N Sciences , H Nagendra . 10.1515/jcim-2015-0112. <https://doi.org/10.1515/jcim-2015-0112> 2017. February 2018.
- [Kibbey et al. ()] 'Diabetes care provision: Barriers, enablers and service needs of young adults with Type 1 diabetes from a region of social disadvantage'. K J Kibbey , J Speight , J L A Wong , L A Smith , H J Teede . 10.1111/dme.12227. <https://doi.org/10.1111/dme.12227> *Diabetic Medicine* 2013. 30 (7) p. .
- [Penckofer et al. ()] 'Does glycemic variability impact mood and quality of life?'. S Penckofer , L Quinn , M Byrn , C Ferrans , M Miller , P Strange . 10.1089/dia.2011.0191. <https://doi.org/10.1089/dia.2011.0191> *Diabetes Technology and Therapeutics* 2012. 14 (4) p. .
- [Reddy et al. ()] 'Effect of Aerobic and Resistance Exercise on Glycemic Control in Adults With Type 1 Diabetes'. R Reddy , A Wittenberg , J R Castle , J El Youssef , K Winters-Stone , M Gillingham , P G Jacobs . 10.1111/j.1744-6570.1975.tb0. <https://doi.org/10.1016/j.jcjd.2018.08.193> *In Canadian Journal of Diabetes* 2018. Elsevier Inc.
- [Vinutha et al. ()] 'Effect of Integrated Approach of Yoga Therapy on Autonomic Functions in Patients with Type2 Diabetes'. H T Vinutha , B R Raghavendra , N K Manjunath . *Indian Journal of Endocrinology and Metabolism* 2015. (5) p. 19.
- [Patil ()] 'Effect of yoga on cardiac autonomic dysfunction and insulin resistance in non-diabetic offspring of type-2-diabetes parents: A randomized controlled study'. S Patil . %2010.1001/archped. <https://doi.org/10.1016/j.ctcp.2019.01.003> *Complementary Therapies in Clinical Practice* 2019. 34 p. .
- [Kudigra and Ns ()] *Effect of yoga therapy on fasting blood sugar and to study the distribution of anthropometric measures in type-2 diabetes*, S Kudigra , A Ns . 2018.
- [Dubey et al. (2014)] *Effect of Yogic Exercise on Lipid Profile of Patients of Diabetes Mellitus Type Ii and Its Correlation with Addiction and Family History*, N Dubey , S Kumar , R Khare , S S Mishra . 2014. September. 4 p. .
- [Sharma and Udayakumara ()] *Effect of Yogic Practices on Immunity and Study Habit in School Children*, K K Sharma , H , T P Udayakumara , K . 2013. 19. 19.
- [Hongasandra ()] 'Effectiveness of yoga for patients with diabetes mellitus'. N Hongasandra . 10.18520/cs/v113/i07/1337-1353. <https://doi.org/10.18520/cs/v113/i07/1337-1353> *Current Science* 2017. 113 (7) p. .
- [Saraswati et al. ()] 'Effects of a yoga intervention on lipid profiles of diabetes patients with dyslipidemia'. S S Saraswati , Yoga , Kriya , N Shantakumari , S Sequeira , R El Deeb . *Indian Heart Journal* 2004. 2013. 65 (2) p. .
- [Herbst et al. ()] 'Effects of regular physical activity on control of glycemia in pediatric patients with type 1 diabetes mellitus'. A Herbst , R Bachran , T Kapellen , R W Holl . <https://doi.org/Archives of Pediatrics and Adolescent Medicine> 2006. 160 (6) p. .
- [Gowtham ()] 'Effects of Yoga in type 2 diabetes mellitus with hypertension: Alteration in RBC morphology as a marker for oxidative stress'. L Gowtham . <https://www.scopus.com/inward/record.uri?partnerID=Hz0xMe3b&scp=85040242788&origin=inward> *Indian Journal of Physiology and Pharmacology* 2018. 62 (1) p. .
- [Shrivastava et al.] *Effects of Yoga on Blood Glucose, Insulin and C-Peptide Levels in Patients of Diabetes Mellitus*, N Shrivastava , S Verma , B P Tikariha . p. .
- [Program et al. ()] *Effects of Yoga on Inflammation and Exercise Capacity in Patients with Chronic Heart Failure*, G Program , O Therapy , P R Pullen , S H Nagamia , P K Mehta , W R Thompson , D A N Benardot , R Hammoud , J M Parrott , S Sola . 2008. 14 p. . (Yoga for Your Life)
- [Lin Yin et al. ()] 'Effects of Yoga on Psychological Health, Quality of Life, and Physical Health of Patients with Cancer: A Meta-Analysis'. K Lin Yin , Y Hu Ting , K Chang Jen , H Lin Fen , J Tsao Yih . 10.1155/2011/659876. <https://doi.org/10.1155/2011/659876> *Evidence-Based Complementary and Alternative Medicine* 2011. 2011. p. .
- [Raj ()] *Emphasis of Yoga in the Management of Diabetes*, S Raj . 10.4172/2155-6156.1000613. <https://doi.org/10.4172/2155-6156.1000613> 2016. January 2015.
- [Hirsch ()] 'Glycemic variability: It's not just about A1C anymore!'. I B Hirsch . 10.1089/dia.2005.7.780. <https://doi.org/10.1089/dia.2005.7.780> *Diabetes Technology and Therapeutics* 2005. 7 (5) p. .
- [Sw and Mukibodha ()] *Hatha Yoga Pradipika (First)*, Sw , Mukibodha . 2000. Yoga Publication Trust.
- [Vaishali et al. ()] *Hemoglobin Level Serum Lipid Profile in Community Dwelling Elderly Subjects with Controlled Trial*, K Vaishali , K V Kumar , P Adhikari , B Unnikrishnan . 10.3109/02703181.2012.656835. <https://doi.org/10.3109/02703181.2012.656835> 2012. October 2011. 30 p. .



- [Kalra et al. ()] 'Hypoglycemia: The neglected complication'. S Kalra , J Mukherjee , A Ramachandran , B Saboo , S Shaikh , S Venkataraman , G Bantwal , A Das . 10.4103/2230-8210.117219. <https://doi.org/10.4103/2230-8210.117219> *Indian Journal of Endocrinology and Metabolism* 2013. 17 (5) p. .
- [Patel et al. ()] 'Importance of Patient-Provider Communication to Adherence in Adolescents with Type 1 Diabetes'. J Patel , N Datye , A , K Jaser , S , S . 10.3390/healthcare6020030. <https://doi.org/10.3390/healthcare6020030> *Healthcare* 2018. 6 (2) p. 30.
- [Vijayakumar ()] 'Influence of Time of Yoga Practice and Gender Differences on Blood Glucose Levels in Type 2 Diabetes Mellitus and Normal Healthy Adults'. V Vijayakumar . 10.1016/j.explore.2017.11.003. <https://doi.org/10.1016/j.explore.2017.11.003> *Explore* 2018. 14 (4) p. .
- [Author ()] 'International Journal of Scientific Research Interventions in Patients with Prediabetes : The Role of Pranayama and Asanas in Delaying the Onset of Type 2 Diabetes Mellitus'. C C Author . *Jeyalalitha Rathinam \* Shanmugam. A Vijayalakshmi R Subahan S P Stanley medical* 2019. 3 p. .
- [Sharma ()] 'Juvenile Diabetes: Better to Prevent Than Cure'. D B D Sharma . 10.20959/wjpr20174-8169. <https://doi.org/10.20959/wjpr20174-8169> *World Journal of Pharmaceutical Research* 2017. 6 (4) p. .
- [Peyrot and Rubin ()] 'Levels and risks of depression and anxiety symptomatology among diabetic adults'. M Peyrot , R R Rubin . 10.2337/diacare.20.4.585. <https://doi.org/10.2337/diacare.20.4.585> *Diabetes Care* 1997. 20 (4) p. .
- [Bernstein et al. ()] 'Mental health issues in adolescents and young adults with type 1 diabetes: Prevalence and impact on glycemic control'. C M Bernstein , M S Stockwell , M P Gallagher , S L Rosenthal , K Soren . *Clinical Pediatrics* 2013. 52 (1) p. .
- [Berger et al. ()] 'Metabolic and hormonal effects of muscular exercise in juvenile type diabetics'. M Berger , P Berchtold , H J Cüppers , H Drost , H K Kley , W A Müller , W Wiegmann , H Zimmermann-Telschow , F A Gries , H L Krüskemper , H Zimmermann . 10.1007/BF01223279. <https://doi.org/10.1007/BF01223279> *Diabetologia* 1977. 13 (4) p. .
- [Fowler ()] 'Microvascular and Macrovascular Complications of Diabetes'. M J Fowler . *Clinical Diabetes* 2008. 26 (2) p. .
- [De Lima et al. ()] 'Physical activity levels of adolescents with type 1 diabetes physical activity in T1D'. V A De Lima , L P G Mascarenhas , J P Decimo , W C De Souza , A L S Monteiro , I Lahart , S N França , N Leite . 10.1123/pes.2016-0199. <https://doi.org/10.1123/pes.2016-0199> *Pediatric Exercise Science* 2017. 29 (2) p. .
- [Balaji et al. ()] *Physiological Effects of Yogic Practices and Transcendental Meditation in Health and Disease*, P A Balaji , S R Varne , S S Ali . 10.4103/1947-2714.101980. <https://doi.org/10.4103/1947-2714.101980> 2012. 4 p. .
- [Duru et al. ()] 'Quality of Life and Psychological Screening in Children with Type 1 Diabetes and their Mothers'. N S Duru , M Civilibal , M Elevli . 10.1055/s-0035-1555938. <https://doi.org/10.1055/s-0035-1555938> *Experimental and Clinical Endocrinology and Diabetes* 2015. 124 (2) p. .
- [Rasoul et al. ()] 'Quality of life of children and adolescents with type 1 diabetes in Kuwait'. M Rasoul , F Alotaibi , A Abdulla , Z Rahme , F Alshawaf . *Medical Principles and Practice* 2013. 22 (4) p. .
- [Pasquini et al. ()] 'Relevance of anger and irritability in outpatients with major depressive disorder'. M Pasquini , A Picardi , M Biondi , P Gaetano , P Morosini . 10.1159/000079418. <https://doi.org/10.1159/000079418> *Psychopathology* 2004. 37 (4) p. .
- [Raveendran et al. ()] *Review Article Therapeutic Role of Yoga in Type 2 Diabetes*, A V Raveendran , A Deshpandae , S R Joshi . 2018. p. .
- [Szablewski ()] 'Role of immune system in type 1 diabetes mellitus pathogenesis'. L Szablewski . 10.1016/j.intimp.2014.06.033. <https://doi.org/10.1016/j.intimp.2014.06.033> *International Immunopharmacology* 2014. p. .
- [Sahay ()] 'Role of yoga in diabetes'. B K Sahay . *JAPI* 2007. 55 p. .
- [Nagothu ()] 'Role of yoga on cardiac autonomic function tests and cognition in type 2 diabetes'. R Nagothu . *International Journal of Research in Ayurveda and Pharmacy* 2015. 6 (6) p. .
- [Mohan et al. ()] 'the beneficial effect of yoga in diabetes'. V Mohan , . S Singh , O Tandon , S Sharma . *Nepal Medical College Journal* 2005. 7 (2) p. .
- [Kumar ()] *The effect of clinical sequence of yogapathy on Type 2 diabetes mellitus*, A R Kumar . 2017. 3 p. .
- [Campagne ()] *The effect of physical training on blood lipid profiles in adolescents with insulin-dependent diabetes mellitus. The Physician and Sportsmedicine*, B N Campagne . 1985. 13 p. .
- [Zivdar and Zivdar ()] 'The effect of yoga exercise on secretion of cortisol in women'. Z Zivdar , B Zivdar . <http://www.ijssjournal.com> *International Journal of Sport Studies* 2014. 4 (10) p. .

- [Ross and Thomas ()] 'The Health Benefits of Yoga and Exercise: A Review of Comparison Studies'. A Ross , S Thomas . 10.1155/201. <https://doi.org/10.1089/acm.2009.0044> *The Journal of Alternative and Complementary Medicine* 2010. 16 (1) p. .
- [Briscoe et al. ()] 'Type 1 diabetes: Exercise and hypoglycemia'. V J Briscoe , D B Tate , S N Davis . 10.1139/H07-025. <https://doi.org/10.1139/H07-025> *Nutrition and Metabolism* 2007. 32 (3) p. . (Applied Physiology)
- [Neumark-Sztainer et al. ()] 'Weight Control Practices and Disordered Eating Behaviors Among Adolescent Females and Males With Type 1 Diabetes'. D Neumark-Sztainer , J Patterson , A Mellin , D M Ackard , J Utter , Story , J Sockalosky . [www.care.diabetes.org](http://www.care.diabetes.org) *Diabetes Care* 2002. 25 (8) p. .
- [Chimen et al. ()] *What are the health benefits of physical activity in type 1 diabetes mellitus?*, M Chimen , A Kennedy , K Nirantharakumar , T T Pang , R Andrews , P Narendran . 2012. (A literature review)
- [Prabhu et al. ()] *Yoga : An endocrine therapy*, S R Prabhu , S Mahadevan , S Jagadeesh , S Suresh . 10.4103/2230-8210.152800. <https://doi.org/10.4103/2230-8210.152800> 2015. 19 p. .
- [Falkenberg et al. ()] 'Yoga and immune system functioning: a systematic review of randomized controlled trials'. R I Falkenberg , C Eising , M L Peters . 10.1007/s10865-018-9914-y. <https://doi.org/10.1007/s10865-018-9914-y> *Journal of Behavioral Medicine* 2018. 41 (4) p. .
- [Cramer ()] 'Yoga for adults with type 2 diabetes mellitus'. H Cramer . 10.1002/14651858.CD011658. <https://doi.org/10.1002/14651858.CD011658> *Cochrane Database of Systematic Reviews* 2015. 15 (4) p. .
- [Nagendra ()] *Yoga for Back Pain*, H R Nagendra . 2003. Swami Vivekananda Yoga Publications.
- [Yoga for diabetes mellitus] *Yoga for diabetes mellitus*,
- [Ahilan ()] 'Yoga for diabetes mellitus'. B Ahilan . *International Journal of Physical Education, Sports and Health* 2015. 1 (4) p. .
- [Eda ()] 'Yoga has Beneficial Effects on Patients with Chronic Diseases and Improves Immune Functions'. N Eda . 10.4172/2155-9627.1000197. <https://doi.org/10.4172/2155-9627.1000197> *Clinical Research & Bioethics* 2014. 5 (5) p. .
- [Kosuri and Sridhar ()] 'Yoga practice in diabetes improves physical and psychological outcomes'. M Kosuri , G Sridhar . *Metabolic Syndrome and Related Disorders* 2009. 7 (6) p. .
- [Brahmachari ()] *Yogic suksma vyayama*, Dhirendra Brahmachari . <https://www.amazon.com/Yoga-suksma-vyayama-Dhirendra-Brahmachari/dp/B0006CNM08> 1973. 77.