

Study of Knowledge, Attitude and Practice Regarding N-COVID-19 among Health Care Providers working in Tertiary Care Hospital

Dr. Subodh Kanchi

Received: 12 December 2019 Accepted: 31 December 2019 Published: 15 January 2020

Abstract

The current Pandemic N-COVID-19 is taking a toll on health care providers all over the world as it is spreading by leaps and bounds. India is standing second in the world in case of the maximum number of patients. Hence we conducted a knowledge, attitude and practice study to prevent N COVID-19 among health care providers themselves working in tertiary care hospitals of a Medical College. AIM: To find out the awareness regarding corona virus among health workers working in tertiary care hospitals. Objective: To find out hygienic practices practiced by the participants.

Index terms— N-COVID 19, awareness program, preventive measures.

1 Introduction

The current Pandemic N-COVID-19 taking toll on health care providers worldwide as it is observed that mortality is more among health care providers. The health of health care providers is a major concern. As they have to take care of their health first to serve the humanity. It is observed that mortality among health care providers is more compared to common man. Therefore, it is necessary to study the knowledge, attitude and hygienic practices regarding N-COVID-19 among health care providers.

It is a small attempt to study the knowledge, attitude and practice to prevent N COVID-19 among health care providers themselves working in tertiary care hospitals of a Medical College. Let us hope, it is the beginning of research study of N-COVID-19 Pandemic in tertiary care hospital. Such study is first of its kind in the said tertiary care hospital.

In 2019, an outbreak of the coronavirus began in Wuhan, China, affecting over 1,300 people, the largest recorded to date. The outbreak is ongoing as of February 2020. 1 The 2019-nCoV infection caused clusters of severe respiratory illness similar to severe acute respiratory syndrome coronavirus and was associated with ICU admission and high mortality. 2 The name "coronavirus" is derived from the Latin corona, meaning crown or halo, which refers to the characteristic appearance of the virus particles (virions): they have a fringe reminiscent of a crown or of a solar corona. Coronaviruses comprise the subfamily Ortho coronavirinae in the family Coronaviridae, in the order Nidovirales. 3, ?? They are enveloped viruses with a positive-sense single-stranded RNA genome and a nucleocapsid of helical symmetry.

2 a) Aim and Objectives

AIM -To find out the awareness regarding coronavirus among health workers working in tertiary care hospital
Objective-To find out hygienic practices practiced by the participants.

3 b) Methodology

4 c) Results and discussions

A pre-structured proforma was prepared and got validated. Institutional Ethics Committee clearance was taken. Written consent of each participant was taken after explaining the purpose of the study in their language.

Proforma was administered by the interns in person. Questions were asked to the participants from both the tertiary care hospitals. The entered in Excel data sheet and analyzed using spss package.

5 The Epidemiological findings of the study are as follows:

Graph 1: Age wise distribution of the participants Graph 1 shows the age wise distribution of the participants participated in the study. We found out that amongst the participants, maximum 37.4% (76) were from 25-34 years of age group and 31%(63) participants were from 15-24 years of age group.

In our study, 51.24% (104) were females and 48.76% (99) were males. 50.74% (103) participants were from one tertiary care hospital whereas 49.26% (100) were from other tertiary care hospital. Regarding hygienic practices practiced among health care providers, we found out that 101 participants were cleaning and disinfecting touched objects when having a respiratory infection and covering nose and mouth while coughing and sneezing, though, this is not statistically insignificant, it is a good hygienic practice seen amongst health care providers.

In a study conducted by Maria Cohut et al ?? shows same results highlighting the practices of hygiene behavior in order to prevent spread of COVID-19. The Questionnaire was as follows: a) In our study we found that, 1) 86.2% (175) were wearing masks rather 13.8% (28) were not wearing masks while in contact with patients. 2) 85.2% (173) were seeking early medical attention while having respiratory infection for more than two weeks while 14.8% (30) were not seeking early medical attention while having respiratory infection for more than two weeks. 3) 62.6% (127) were cleaning and disinfecting touched objects and surfaces while having respiratory infection while 37.4% (76) were not cleaning and disinfecting touched objects and surfaces while having respiratory infection. 4) 81.8% (166) were covering their nose and mouth while coughing and sneezing while 18.2% (37) were not covering their nose and mouth while coughing and sneezing. 5) 84.2% (171) were taking precautionary measures when their close contacts were having cold or flu like symptoms while 15.8% (32) were not taking precautionary measures when their close contacts were having cold or flu like symptoms. 6) 75.4% (153) are eating thoroughly cooked meat and eggs while 24.6% (50) are not eating thoroughly cooked meat and eggs. 7) 66% (134) avoided unprotected contact with pet and farm animals while 34% (69) were having unprotected contact with pet and farm animals. 8) 39.9% (81) were touching their body parts with unwashed hands while 60.1% (122) were not touching their body parts with unwashed hands. III.II.

6 Knowledge Attitude Practice

7 Conclusion

From our study, we conclude that majority of health care provider staff were using precautionary measures while dealing with COVID-19 patients. With only 38.9% (79) underwent the awareness program. If 100% of staff would undergo the training and awareness program, we are sure they will take better care of themselves and patients while on duty. The awareness program and training should be repeated periodically. ¹

3

Figure 1: Table 3 :

73

4

Question	Awareness				Total
	Yes	%	No	%	
Q1	203	100.0	0	0.0	203
Q2	175	86.2	28	13.8	203
Q3	173	85.2	30	14.8	203
Q4	0	0.0	203	100.0	203
Q5	127	62.6	76	37.4	203
Q6	0	0.0	203	100.0	203
Q7	0	0.0	203	100.0	203
Q8	166	81.8	37	18.2	203
Q9	171	84.2	32	15.8	203
Q10	153	75.4	50	24.6	203
Q11	134	66.0	69	34.0	203
Q12	81	39.9	122	60.1	203
Q13	79	38.9	124	61.1	203
Q14	61	30.0	142	70.0	203
Q15	82	40.4	121	59.6	203
Q16	89	43.8	114	56.2	203
Q17	149	73.4	54	26.6	203
Q18	129	63.5	74	36.5	203
Q19	107	52.7	96	47.3	203
Q20	80	39.4	123	60.6	203

Figure 2: Table 4 :

.1 Acknowledgement

We thank our interns for their valuable assistance in data collection. We sincerely thank Mr. Abhiram Behera, Statistician cum Asst. Professor, Community Medicine, Terna Medical College & Hospital, Nerul for valuable statistical inputs.

.2 Conflict of Interest: Nil

[Huang] , Chaolin Huang .

[Wang] , Yeming Wang .

[Li] , Xingwang Li .

[Ren ()] , Lili Ren . *Lancet* 10223. 2020. 395 p. 15.

[Bloomberg (2020)] , Bloomberg . February 2020. 2 February 2020.

[Study Of Knowledge] *Attitude and Practice Regarding N-COVID-19 among Health Care Providers working in Tertiary Care Hospital*, Study Of Knowledge .

[Do you clean your hands before and after attending patients with soap and water/alcohol-based hand rub? YES/NO 2] *Do you clean your hands before and after attending patients with soap and water/alcohol-based hand rub? YES/NO 2*, (Do you wear mask when in contact with the patients? YES/NO)

[Do you seek early medical attention whenever you have fever, cough, breathlessness for more than two weeks] *Do you seek early medical attention whenever you have fever, cough, breathlessness for more than two weeks*,

[Do you take precautionary measures when any of your close contacts have cold or flu-like symptoms? YES/NO 10. 1Do you eat] *Do you take precautionary measures when any of your close contacts have cold or flu-like symptoms? YES/NO 10. 1Do you eat thoroughly cooked meat and eggs? YES/NO 11. Do you avoid unprotected contact with pets and farm animals? YES/NO 12. 1Do you touch your eyes*,

[Does your hospital contain necessary investigation and treatment modalities for treatment of corona virus infection? YES/NO R] 'Does your hospital contain necessary investigation and treatment modalities for treatment of corona virus infection? YES/NO References Références Referencias 1'. *BNO News*. Retrieved 13 p. 2020. (Tracking coronavirus: Map, data and timeline)

[Gale (2020)] Jason Gale . *Coronavirus Lurking in Feces May Reveal Hidden Risk of Spread*, 1 February 2020.

[Have you undergone any awareness program regarding coronavirus? YES/NO 14. Do you have an isolation ward for coronavirus] *Have you undergone any awareness program regarding coronavirus? YES/NO 14. Do you have an isolation ward for coronavirus patients in your hospital*,

[If you have respiratory infection then do you clean and disinfect touched objects and surfaces?] *If you have respiratory infection then do you clean and disinfect touched objects and surfaces?*, YES/NO.

[Is it ensured that rapid triage and isolation of patients with symptoms of suspected coronavirus and other respiratory infection taken into consideration? YES/NO 19. Does the ambulance service notify your health care Center?] *Do you spread awareness about coronavirus in your respective residential society? YES/NO 18*,

[Cohut] *Medical News Today* www.medicalnewstoday.com ? authors ? maria-cohut "article about covid_19, Maria Cohut , PhD .

[Whether HCP attending the suspected coronavirus patient is routinely investigated? YES/NO 16. Have you posted signs/posters] *Whether HCP attending the suspected coronavirus patient is routinely investigated? YES/NO 16. Have you posted signs/posters for spreading awareness of coronavirus at the entrance/OPD waiting areas*,