

Role of Plants in a Pandemic: Learning from the COVID-19 Situation

Snehangshu Das¹ and Minakshi Mahajan²

¹ Shivaji University

Received: 15 December 2019 Accepted: 3 January 2020 Published: 15 January 2020

Abstract

Plants have been curing the humans from a very long time. The secondary metabolites present in the plants play a crucial role in healing of the people. The current review article deals with the roles of plants in tackling a pandemic. Several works on herbal medicine efficacy against COVID-19 proves that plants are one of the cheapest prophylactic treatment for an unknown disease. Plants-people relationship have been helping many people to overcome anxiety and depression during the social isolation period. Here we explore how traditional medicines from different parts of world is showing the path of effective prophylactic treatments along with it we also explore the role of plants in developing natural antiviral surface protective agents. We also explored all the herbal medication recommendations given by different countries to tackle the disease. Pandemics can occur anytime and plants will help us in from all the corners of life. We all need to come together to fight it out, and also, we need to chalk out the ways to prevent future pandemics too.

Index terms— traditional medicine, COVID-19, psychological health, antiviral agent.

1 Introduction

andemics have existed since time immemorial. The humanity has seen horrific pandemics in the past and presently, it is experiencing one too. The outbreak of coronavirus illness 2019 (COVID- 19) reportedly happened in a wet market at Wuhan, China, which can be accounted for a zoonotic transmission [1]. During the early days, the unexpected outbreak of the virus took more than 1800 lives and over 70,000 individuals got disease-ridden. The main warning symptoms comprises of excessively high body temperature, dry cough, and body weakness, whereas several patients have symptoms of myalgia and bowel disorders too [2]. In many cases, respiratory system failure, septic shock, and also deaths have been recorded. The World Health Organisation has declared the coronavirus disease (COVID-19) as a pandemic in March 2020, which is caused by severe acute respiratory syndrome coronavirus 2 (SARS-COV-2) [3]. As of December 14, 2020, 72.6 million confirmed cases, 50.8 million cured cases (64.74 %) and 1.6 million (2.23 %) deaths have been reported worldwide [4]. Regrettably, the total number of confirmed cases continues to upsurge due to common man's negligence. The healthcare infrastructure of world is trying its level best to cope up with the upsurge in cases. Right now, the world is hearing about vaccines for SARS-CoV-2 which are being developed through extraordinary hard work [5]. But, the concern over its long-term efficacy and post vaccine effects on the body makes it a sensitive issue of discussion. Several therapeutic methods have been proposed which includes the use of Lopinavir/Ritonavir, Hydroxychloroquine, Remdesivir to cure COVID-19. However, the medical utility of these synthetic drugs to counter COVID-19 infection is still unclear [6]. In the absence of an appropriate treatment, herbal medications are becoming an adjuvant treatment to heal the symptoms of the disease.

The early evidence related to the use of herbal preparations in tackling a disease nearly dates back to 1500 BC by Egyptians. Later, Romans and Greeks improved the combinations and were recognized in the earliest known drug books named as Pharmacopoeias [7]. From Black Death to Spanish Flu, plant-based medicines have been

used extensively in the absence of drugs [7]. Even in this century, phytomedicines are the lone healing option for a large chunk of global population who are residing in the developing countries. But then, similarly in the developed nations, the practice of traditional phytodrugs is undergoing a revitalization, as it is considered as a safer and healthier option than artificially synthesised chemical drugs. Undeniably, traditional medications have existed since the inception of humanity. With a trend in increasing publication on the subject, a transformed shift of scientific interest can be seen on to plant-derived medications in the current decade [8]. The therapeutic potential of plants is solely due to the presence of secondary metabolism. Only the availability of resources to perform clinical trials of traditional medicines has limited its applications in modern world of drugs.

One role of the plants in the pandemic is in the form of medicinal values and the other role explores the importance of people-plant relationships in reference with the psychological well-being of humans. The primary measures taken to control the pandemic was completely through non-pharmacological interventions (NPIs) [9]. NPIs for preventing the disease included social distancing, isolation, quarantining the infected people and treating the cases [10]. From educational institutes, and work places to leisure venues, every possible place were locked up to avoid public gatherings. These recommendations were, and are still very much in place in some countries right now, which created job losses, scarcities of food and societal unrest with anxiety of the unknown at the global level [11]. Drastic changes in the daily routines led to affect the mental health among the people of all ages. They showed symptoms of trouble in concentrating, tetchiness and anxiety [12]. To a certain extent, despair, wretchedness, stress and nervousness have affected people during this period. Stress is principally associated with the existing information that does not provides a clear picture with respect to perils, extent of the pandemic, effect on the economy, and many other factors [11]. Gardening and other horticultural practices as a therapy crept in to rescue the mental health of the human beings during this time. The innate relationship between plants and people has been helping in bringing a positive change in mindset of the people. Through this review, we will explore both the roles of plants on humans during this pandemic tenure.

2 II.

3 Plants as Medicines and Surface Protective Agents

The unique property of plants to produce secondary metabolites has enabled the world to make them a source of medicinal compounds. From the preliminary outbreak phase of the COVID-19, plantbased therapeutics have been implemented in China. The use of qingfeipaidumixture, gancaoganjiangmixture, sheganmahuangmixture and qingfeitouxiefuzhengmixture seems to be helpful in the treatment of SARS-CoV-2 [13]. A total of 701 patients were healed by qingfeipaidumixture, among them 130 patients healed in just 12 days. 319 patients lost clinical symptoms and got cured in 20 days, while 252 cases showed stability in their symptoms [14]. These results show that qingfeipaidumixture has an efficacy of 90% and above in treating the COVID-19 [14]. The molecular interaction analysis has shown that patchouli alcoholic mixture, ergosterol and shionone extract could be a new highquality drug choice against SARS-CoV-2. An oral liquid known as shuanghuanglian, which comprises of three plants including *Lonicera japonica*, *Scutellaria baicalensis* and *Forsythia* [15]. Since, it's low price and no grave side-effect, it is used for healing sore throat, fever, upper throat infection and cough [15]. A recently published article showed Shuang huanglianin combination with conventional treatments (immunoglobulin injections, doses of dexamethasone, antiviral and antibiotic medications) were used against COVID-19. The outcome exhibited that this cocktail of drugs can help the body improve without any known side-effects and resolve the symptoms [16]. With the help of Out of the 214 patients, traditional herbal medicines have helped 193 patients to recover completely [17]. A latest publication showed that 60107 cases were healed by Chinese herbal medicines [14]. Besides, some herbal drugs prohibited the virus from infecting healthy individuals and enhanced the health of the affected infected individuals with mild or severe symptoms in many parts of the country [17,18]. The Chinese herbal drugs locally called Shu Feng Jie Du and Lianhuaqingwen have been suggested, thanks to their good efficacy against earlier known viruses such as influenza A (H1N1) or Severe Acute Respiratory Syndrome (SARS-CoV-1) [19]. Such positive results led the inclusion of Chinese herbal medicines in the plans for the treatment and stoppage of COVID-19 in the Zhongnan Hospital of Wuhan University. Additionally, to cure the virus, the authorities recommended the usage of diverse herbal combinations in accordance with the disease-stage [20].

In South Korea, Korean herbal medications are being administered to patients for free of cost, and the plant based remedies are surely helping the diseased individuals to be healthy [21]. The clinical experts from the Korean Association of Traditional Pulmonary Medicine and the Association of Korean Medicine both drafted their individual guidelines of traditional medicine on the inhibiting and curing of COVID-19 [22]. The guidelines included the use of Youngyopaedoc-san along with Bojungikgi-tang, and Youngyopaedoc-san with the application of Saengmaek-san [22,23]. And, two more Korean plant-based preparations were recommended for patients who recovered from the SARS-CoV-2 [23]. It included the combinations of Youngyopaedoc-san with the use of Bulhwangeumjeonggi-san and Bojungikgi-tang with Youngyopaedoc-san for eliminating post COVID-19 complications [22,23]. For patients with mild symptoms, three more herbal medications were suggested, which includes Youngyopaedoc-san along with the use of Galgunhaegui-tang for those without pneumonia but with excessive warm breath; Bulhwangeumjeonggi-san along with Soshiho-tang was suggested for people with mugginess-heat in the infected lungs [23]. The herbal recommendations for recovery stage include Saengmaek-san with the use of Samchulkunbi-tang or Chungseuiki-tang with the application of Samchulkunbitang [23].

In India, Ayurveda, Unani, Siddha and Homeopathy system of medications has been the most sought-after prophylactic treatment for COVID-19. A set of guidelines has been released by the Indian government for each of the traditional medicine system [24]. Additionally, the Prime Minister of India in his address to country also stated that the use of such medicines can help in improving body resistance against COVID-19. Following which the demand of traditional herbal medicines increased in the country. An K interim report on two traditional drugs combinations, Immunofree and Reginmune, has shown exceptional results when compared with conventional drug treatment [25]. On fifth day, more than 85% recovery rate has been seen only in the use of both the medicines against 60% during the use of only conventional drugs [26]. In 10 days, all the patients recovered completely [26]. Such results are very encouraging as the trials included aged patients of 70 years old with comorbidities [25]. These medicines are a combination of 15 plants which has been also recommended by the Indian government in its herbal medicine guidelines [25]. A southern Indian state, Kerala, has used traditional medicines along with synthetic drugs to treat and mitigate the spread of SARS-COV-2 in its region. And, has been successful in flattening the curve of the disease [27]. The state government has divided the population in seven groups based on the probable spread of the virus, and been recommended to use Ayurveda consequently [28]. Some other Indian states have been utilising traditional medicine treatments as an anticipatory measure against the disease, which includes Gujarat is treating all asymptomatic patients with traditional medicines and is also distributing herbal immunity boosters to a large chunk of its population for free [29]. The huge community of traditional medicine practitioners makes it easy to reach the masses with low cost prophylactic treatments for the disease, and that is helping to increase the recovery rate of the nation [30]. The African nations are also exploring their rich resource of traditional medicines against COVID-19. In Madagascar, a highly debatable organic drink consisting the herb *Artemisia afra* is making rounds as a viable treatment for COVID-19. It is commonly used all over Africa to improve and treat the symptoms of respiratory ailments, some of which shares similarities with COVID-19 symptoms [31,32]. Following which, the World Health Organisation has set up panel of experts to test African traditional medicine as a probable treatment for the COVID-19 infection [33]. The trials of the herbal remedy have progressed into the third phase [34]. In these similar contexts of African phytomedicines that omics machineries offer scenarios to recognize mode of action for phytodrugs and, thus, Africans are positive towards contributing to the pool of novel molecular markers for therapeutic innovation to fight against SARS-COV-2 [35]. All the recommended medicinal plants have been presented in the Table 1.

There are many other secondary metabolites which are needed to be explored. Such as galactans which are antiviral in nature can be extracted from marine algae like *Ruppia maritima* and terrestrial plants such as *Stevia rebaudiana* and *Bassia rubra* [36][37][38]. The secondary metabolite could easily fight against herpes simplex type virus 1 & 2. A recent study also showed the efficacy of glycosides and flavonoids derived from *Allium sativum*, *Senna*, and *Salvia officinalis* yields different phytochemicals which have the capability to mutate the gyrase produced by SARS-COV-2 [39]. Even, the Persian traditional medicine recommendations include the use of both *Allium sativum* and *Allium cepa* against COVID-19 [40]. Such recommendations are tedious to find if they are not available on one platform. A recent Github project has emerged which is helping the common people to store different government recommendations for herbal medicines on one platform [41]. The use of technology is helping the database to reach the masses. The probable list of plants which can be explored for their medicinal purposes has been listed in Table 2.

The current situation has taught us that a formidable vision towards developing future antiviral materials must be developed to tackle future pandemics. Marine algae are the store house of sulphated polysaccharides. Species of *Porphyridium*, a red alga, has high content of sulphated polysaccharides known as carrageenan which are antiviral in nature [42].

A study shows that a layer of sulphated polysaccharides on sanitary items destroys SARS-COV-2 on the surface [43]. Apart from algal derived compounds, tea tree oil and eucalyptus oils with biologically active compounds has natural virucidal properties which can be possibly used to coat surfaces for gaining antiviral properties [44]. These essential oils showed significant antiviral action against wide-ranging organisms such as bacterial, fungal, and virus-related species, and mainly were found to be active in inactivation of airborne influenza virus as soon as it was applied on the mesh surfaces as the pre-coating of the mesh fibers [44]. Recently, a study showed that by modifying cyclodextrins, a naturally occurring glucose derivatives from starch rich natural sources, non-toxic antiviral materials can be developed which have a competence to destroy viruses on coming in contact with the materials [45]. Thus, it exhibits virucidal properties. The oleuropein, a polyphenolic compound derived from olive leaves, have been acknowledged as a good inhibitor to an extensive range of viruses by hindering the manufacturing process of enzymes required for viral replication [46]. Purple *Tabebuia* (*Tabebuia impetiginosa*) is a very common tree found in South and Central American nations. The inner bark of the species has been advertised as an enhancement to decrease inflammation and encourage loss in weight. The quinoids derived from the purple *tabebuia* can be instrumental in inhibiting virus reproduction by chemically impairing the DNA and RNA present in the viral proteins [47]. These interesting natural extractions tend to be very capable for becoming antiviral coating contenders. In future, these compounds will play an essential role in developing both natural antiviral materials and drugs. The period of social isolation and lockdown brought new challenges to human beings from a psychological point of view. Several changes in the behaviours and habits of the families were noted, which can mainly develop changes in the psychological health of the people from all age groups. Difficulty in concentrating, cantankerousness and anxiety can be detected in them [12]. The people-plant interaction

offers steadiness through interaction with the nature, facilitating contacts with other people and constructing the aesthetics of surroundings. With this understanding, gardening as an activity can be developed as an occupational therapy. Gardening as a healing remedy was first recognized and recommended by Dr. Benjamin Rush, for dealing with mental health. This effective practice was used for helping the war veterans cope up with their distress and, from that moment onwards, it was implemented to support the treatment of diverse percentage of the population in large urban metropolises stays in small properties where the space for gardens is absolutely nil. Large apartment cooperatives may have designed places but, with the constraint on societal living, they are very little in size or are completely not used. This gardening of indoor plants develops another alternative to come nearer to the nature. Some indoor plants like *Sansevieria trifasciata* and *Chlorophytum comosum* can be grown easily and acts as efficient phytofilters for remediation of numerous pollutants from cigarette smoke [49]. *Zamioculcas zamiifolia* filters formaldehyde (used in various materials, paints, cosmetics, etc.) and toluene (found in paints, adhesives, oil, tanned materials, disinfectants, etc.) [50]. These potted vegetations growing indoors help people devote most of their time, as well as develop plentiful of possibilities for experimenting with growing combinations of different plants. It is a simple answer to develop good air quality, while improving to the aesthetics of the location and contributing towards a huge range of benefits in the psychological, physiological and cognitive regions [51]. Many lonely millennials across the world turned to gardening as a resort for comforting their mind and mental well-being during the lockdown [52]. In US, the search term "gardening" reached a peak of daily searches during the prime lockdown phase which was from April 26 th to May 2 nd [53]. Throughout this time period of social isolation, numerous experts from the arenas of gardening, landscaping and ornamentation have made their living on social medias and have engrossed millions of individuals in pursuit of learning and development. Simple topics such as how to maintain your plants, make your plantlets at home and use of cut flowers in diverse activities were brought to the general public. There are reports that as many as 20 million people participated in many such activities from around the globe simultaneously [11]. Such practices have helped many people cope with the distress and depression faced during the lockdown.

IV.

4 Conclusion

The COVID-19 pandemic has led several scientific and clinical researchers to try to recommend operative drugs to eradicate the disease. The traditional medicines from India, China, Korea, Africa and Iran have centuries of practice in stoppage of pandemic and epidemic transmittable viruses are worth exploring to develop them as alternate contender for regulating SARS-COV-2 infection in patients. Currently, due to the lack of a vaccine or drug, the world has a good capability to explore the traditional medicine decoction and tablets. Confidently, positive outcomes from clinical trials are slowing explaining that phytodrugs alone or in blend with conventional synthetic medicine can help patients to recover from COVID-19. An editorial emphasized on the necessity of funding and exploring traditional medicine data in the background of the present, and probably upcoming, pandemics [54]. It is crucial to develop advance healing medicinal technologies to guard humans from the infection in tandem with phyto remedies can be easier to safeguard against the disease. There is an urgent need study more and conduct clinical trials of the different herbal medicines so as to tackle the infection of novel SARS-CoV-2. Apart from the medicinal uses of plants, we also need to explore natural antiviral surface protective agents so as to develop a sustainable and eco-friendly system to kill viruses on any surface. Increase in mental pressure and depression can also be solved through developing companionship with plants. We all know that how hard times were during the lockdown period and with many people living away from their homes, gardening and floricultural activities helped people maintain a good psychological health. Thus, plants play an integrated role during a pandemic from providing medicinal solutions to improving mental health. ^{1 2 3}

¹© 2020 Global Journals

²Role of Plants in a Pandemic: Learning from the COVID-19 Situation

³© 2020 Global Journals Role of Plants in a Pandemic: Learning from the COVID-19 Situation

1

Medicine name

For Preventive Measures and Mild Symptoms

Tinosporacordifolia

Andrographis paniculata

Cydonia oblonga

Zizyphusjube Cordia myxa

Arsenicum Album 30

Coronil

Anu Taila

Year Artemisia afra Artemisia annua Organic drink AraliaeContinentalis Radix Powder/Liquid Bupleuri Radix
2020

2 Poria Sclerotium Ginseng
Radix

Volume Aurantii Platycodi
XX Cnidii Schizonepetae
Is- Saposhnikoviae Gly-
sue cyrrhizaeglabra Cnidii
XIV Bupleuri Mori Folium
Ver- Mentha Scutellariae
sion Trichosanthis Gypsum
I Fibrosum

D Benincasaepericarpium Rehmanniae

D

D

D

)

K

(LoniceræFlos

Medicinal Saposhnikoviae Radix Chuanxiong Rhizoma Persicae Semen Mori Radicis Cortex Rhei LepidiiseuDescu

Re-

search

2

S. Plant names Acacia nilotica Allium sativum Andrographis paniculata Boerhaaviadiffusa Clerodendru
no.

1. 2.

3. 4.

5. 6.

7. 8. Coriandrum sativum Cynara scolymus

Cassia occidentalis
9. Cosciniumfenestratum EmbeliaRibes Eugenia jambolana Euphorbia granulata Glycyrrhiza glabra Gy
10.
11.
12.
13.

14. production Reticence and Nebulizer Ocimumkilimandscharicum ReducingCaginess Hyoscyamus niger
15.
16.
17.
18.

19. Sambucus ebulus

20. Solanum nigrum

21. Sphaeranthus indicus

22. Strobilanthescallosa

23. Strobilanthescusia

24. Vitex negundo

25. Vitex trifolia

26. Terminalia chebula

.1 Acknowledgment

The authors are thankful to the officials of Deccan Education Society, Pune, and also to the peers of Fergusson College, Pune. The authors are grateful to Dr. R.G. Pardeshi for his constant support and guidance.

[Transmission. ISID. Accessed] , on: 4/12/2020. *Transmission. ISID. Accessed*

[Complement. Ther. Clin. Pract] , *Complement. Ther. Clin. Pract* 40 p. 101214.

[Glycobiology] , *Glycobiology* 15 (1) p. .

[Li et al. ()] , H Li , Y M Wang , J Y Xu , B Cao . 2020. (Potential antiviral therapeutics for 2019 Novel Coronavirus)

[Koch and Pong] 2020) *First up for COVID-19: nearly 30 clinical readouts before end of April*, S Koch , W Pong . BioCentury Inc.

[Reis et al.] ‘2020) Pandemic, social isolation and the importance of people-plant interaction’. S N Reis , M V Reis , Â M P Nascimento , Do , S N Reis , M V Reis , Â M P Nascimento , Do . *Ornam. Hortie* 26 (3) p. .

[Garcia] ‘2020) Pandemics and Traditional Plant-Based Remedies. A Historical-Botanical Review in the Era of COVID19’. S Garcia . *Front. Plant Sci* p. 11.

[Lee et al. ()] ‘A consensus guideline of herbal medicine for coronavirus disease 2019’. B.-J Lee , J A Lee , K.-I Kim , J.-Y Choi , Jung , H.-J . *Integr. Med. Res* 2020. 9 (3) p. 100470.

[Mirzaie et al. ()] *A narrative literature review on traditional medicine options for treatment of corona virus disease*, A Mirzaie , M Halaji , F S Dehkordi , R Ranjbar , H Noorbazargan . COVID-19. 2020. 2019.

[American Horticultural Therapy Association (2020) History of Horticultural Therapy] *American Horticultural Therapy Association (2020) History of Horticultural Therapy*, 11/12/2020. <https://www.ahta.org/history-of-horticultural-therapy>

[Jin et al. (ed.) ()] *and for the Zhongnan Hospital of Wuhan University Novel Coronavirus Management and Research Team, Evidence-Based Medicine Chapter of China International Exchange and Promotive Association for Medical and Health Care (CPAM) (2020) A rapid advice guideline for the diagnosis and treatment of*, Y.-H Jin , L Cai , Z.-S Cheng , H Cheng , T Deng , Y.-P Fan , C Fang , D Huang , L.-Q Huang , Q Huang , Y Han , B Hu , F Hu , B.-H Li , Y.-R Li , K Liang , L.-K Lin , L.-S Luo , J Ma , L.-L Ma , Z.-Y Peng , Y.-B Pan , Z.-Y Pan , X.-Q Ren , H.-M Sun , Y Wang , Y.-Y Wang , H Weng , C.-J Wei , D.-F Wu , J Xia , Y Xiong , H.-B Xu , X.-M Yao , Y.-F Yuan , T.-S Ye , X.-C Zhang , Y.-W Zhang , Y.-G Zhang , H.-M Zhang , Y Zhao , M.-J Zhao , H Zi . Zeng, X.-T., Wang, Y.-Y., Wang, X.-H., (ed.) 2019. (novel coronavirus (2019-nCoV. infected pneumonia (standard version). *Mil. ed. Res.*, 7 (1), 4)

[Brandão et al. ()] ‘Antiviral activities of plants occurring in the state of Minas Gerais, Brazil: Part 2. Screening Bignoniaceae species’. G Brandão , E Kroon , J Santos , J Stehmann , J Lombardi , De Oliveira , A . *Rev. Bras. Farmacogn* 2010. 20 p. .

[Ullah et al. ()] ‘Application of exogenous indole-3-acetic acid on shoots of *Zamioculcas zamiifolia* for enhancing toluene and formaldehyde removal’. H Ullah , C Treesubuntorn , P Thiravetyan . *Air Qual. Atmosphere Health* 2020. 13 (5) p. .

[Du Toit and Van Der Kooy ()] ‘*Artemisia afra*, a controversial herbal remedy or a treasure trove of new drugs?’. A Du Toit , F Van Der Kooy . *J. Ethnopharmacol* 2019. 244 p. 112127.

[Hindu ()] *Ayurveda doctors can treat mild COVID cases*, The Hindu . <https://www.thehindu.com/news/national/kerala/ayurveda-doctors-can-treat-mild-covid-cases/article33136030.ece>. Accessed on: 9/12/2020 2020.

[Pacific and For The ()] *Calibrating long-term non-pharmaceutical interventions for COVID-19 : principles and facilitation tools*, W H O R O Pacific , W For The . 2020.

[Luo et al. ()] ‘Can Chinese Medicine Be Used for Prevention of Corona Virus Disease 2019 (COVID-19)? A Review of Historical Classics, Research Evidence and Current Prevention Programs’. H Luo , Q Tang , Y Shang , S Liang , M Yang , N Robinson , J Liu . *Chin. J. Integr. Med* 2020. 26 (4) p. .

[Shukla et al. ()] ‘Carrageenans from Red Seaweeds As Promoters of Growth and Elicitors of Defense Response in Plants. *Front*’. P S Shukla , T Borza , A T Critchley , B Prithiviraj . *Mar. Sci* 2016. p. 3.

[Zhang et al. ()] ‘Chinese Medicine Injection Shuanghuanglian for Treatment of Acute Upper Respiratory Tract Infection: A Systematic Review of Randomized Controlled Trials’. H Zhang , Q Chen , W Zhou , S Gao , H Lin , S Ye , Y Xu , J Cai . *Evid. Based Complement. Alternat. Med* 2013. 2013. p. e987326.

[Clinical trial of Ayurvedic remedy for COVID-19 shows groundbreaking results IANS ()] ‘Clinical trial of Ayurvedic remedy for COVID-19 shows groundbreaking results’. *IANS* 2020.

[Chen et al. ()] ‘Convalescent plasma as a potential therapy for COVID-19’. L Chen , J Xiong , L Bao , Y Shi . *Lancet Infect. Dis* 2020. 20 (4) p. .

4 CONCLUSION

- [Worldometer ()] *Coronavirus Update (Live): 72,655,939 Cases and 1,619,077 Deaths from COVID-19 Virus Pandemic -Worldometer*, Worldometer . 14/12/2020. 2020.
- [Bbc News ()] *Coronavirus: What do we know about the artemisia plant?*, Bbc News . <https://www.bbc.com/news/world-africa-53484298>.Accessedon:9/12/2020 2020.
- [Bbc News ()] *Coronavirus: WHO sets rules for testing African herbal remedies*, Bbc News . <https://www.bbc.com/news/world-africa-54225118>.Accessedon:9/12/2020 2020.
- [Dandara and Dzobo ()] 'COVID-19 Pandemic and Africa: From the Situation in Zimbabwe to a Case for Precision Herbal Medicine'. C Dandara , K Dzobo , Chirikure , S . *OMICS J. Integr. Biol* 2020.
- [Mackenzie and Smith ()] 'COVID-19: a novel zoonotic disease caused by a coronavirus from China: what we know and what we don't'. J S Mackenzie , D W Smith . *Microbiol. Aust* 2020.
- [Covid-Organics: WHO sets rules for phase 3 clinical trials of African herbal medicine to treat coronavirus Times Now News ()] 'Covid-Organics: WHO sets rules for phase 3 clinical trials of African herbal medicine to treat coronavirus'. on: 9/12/2020. <https://www.timesnownews.com/health/article/covid-organics-> Times Now News 2020. (whosets-rules-for-phase-3-clinical-trials-of-africanherbal-medicine-to-treat-coronavirus/656173)
- [Times Of ()] *Does the cure for Coronavirus symptoms lie in natural medicine*, India Times Of . <https://timesofindia.indiatimes.com/home/science/does-the-cure-for-coronavirus-symptoms-lie-in-natural> 2020.
- [Gujarat to try Ayurvedic drugs on select COVID-19 patients ()] *Gujarat to try Ayurvedic drugs on select COVID-19 patients*, <https://www.expresspharma.in/amp/covid19-updates/gujarat-to-try-ayurvedic-drugs-on-select-covid-19-patients/>.Accessedon:9/12/2020 2020. Press Trust of India.
- [Ang et al. ()] 'Herbal medicine and pattern identification for treating COVID-19: a rapid review of guidelines'. L Ang , H W Lee , J Y Choi , J Zhang , M S Lee . *Integr. Med. Res* 2020. 9 (2) p. 100407.
- [Sen ()] *In covid lockdown, lonely millennials turn to gardening, fostering pets*, S Sen . 11/12/2020. <https://trends.google.com/trends/explore?q=gardening&geo=US> 2020. (Accessed on:11/12/2020 53. Google (2020) Google Trends. Google Trends)
- [Pyankov et al. ()] 'Inactivation of Airborne Influenza Virus by Tea Tree and Eucalyptus Oils'. O V Pyankov , E V Usachev , O Pyankova , I E Agranovski . *Aerosol Sci. Technol* 2012. 46 (12) p. .
- [kerala-plans-on-using-ayurveda-to-mitigate-covid-19-spread-64755 Medical Dialogues Bureau ()] 'kerala-plans-on-using-ayurveda-to-mitigate-covid-19-spread-64755'. on: 9/12/2020. <https://medicaldialogues.in/state-news/kerala/> Medical Dialogues Bureau 2020. (Kerala plans on using Ayurveda to mitigate COVID-19 spread)
- [Nagle et al. ()] *Marine Red Alga Porphyridium sp. as a Source of Sulfated Polysaccharides (SPs) for Combating Against*, V Nagle , M Gaikwad , Y Pawar , S Dasgupta . COVID-19. 2020.
- [Ministry of AYUSH (2020) AYUSH Guidelines for COVID-19] <https://health.ncog.gov.in/ayush-covid-dashbaord/#>.Accessedon:9/12/2020 Ministry of AYUSH (2020) AYUSH Guidelines for COVID-19,
- [Larsen et al. ()] *Modeling the Onset of Symptoms of COVID-19*, J R Larsen , M R Martin , J D Martin , P Kuhn , J B Hicks . 2020. Front. Public Health. 8.
- [Jones et al. ()] 'Modified cyclodextrins as broad-spectrum antivirals'. S T Jones , V Cagno , M Jane?ek , D Ortiz , N Gasilova , J Piret , M Gasbarri , D A Constant , Y Han , L Vukovi ? , P Král , L Kaiser , S Huang , S Constant , K Kirkegaard , G Boivin , F Stellacci , C Tapparel . *Sci. Adv* 2020. 6 (5) p. 9318.
- [Akerle ()] 'Nature's medicinal bounty: don't throw it away'. O Akerle . *World Health Forum*, 1993. World Health Organisation. 14 p. .
- [Aquino et al. ()] *Occurrence of sulfatedgalactans in marine angiosperms: evolutionary implications*, R S Aquino , A M Landeira-Fernandez , A P Valente , L R Andrade , P A S Mourão . 2005.
- [Omar ()] 'Oleuropein in Olive and its Pharmacological Effects'. S H Omar . *Sci. Pharm* 2010. 78 (2) p. .
- [Iranzadasl et al. ()] 'Persian medicine recommendations for the prevention of pandemics related to the respiratory system: a narrative literature review'. M Iranzadasl , Y Karimi , F Moadeli , M Pasalar . *Integr. Med. Res* 2020. 10 (1) p. 100483.
- [Pierre et al. (ed.) ()] G Pierre , C Delattre , C Laroche , P Michaud . *Galactans and Its Applications Applications of galactans Galactans applications of*, K G Ramawat , Mérillon (ed.) (Cham) 2014. Springer International Publishing. p. .
- [Policy Brief: COVID-19 and the Need for Action on Mental Health ()] *Policy Brief: COVID-19 and the Need for Action on Mental Health*, https://www.un.org/sites/un2.un.org/files/un_policy_brief-covid_and_mental_health_final.pdf.Accessedon:4/12/2020 2020. UN.

- [Mehta ()] ‘POSSIBLE PLANT BASED MEDICINES AND PHYTOCHEMICALS TO BE CURE FOR DEADLY CORONAVIRUS COVID 19’. D Mehta . *WORLD JOURNAL OF PHARMACY AND PHARMACEUTICAL SCIENCES* 2020. 9 (5) p. .
- [Redeploying plant defences Nature Editorial ()] ‘Redeploying plant defences’. *Nature Editorial* 2020. 6 (3) p. . (Nat. Plants)
- [Aydogan ()] ‘Review of the effects of plants on indoor environments’. A Aydogan , Cerone , R . *Indoor Built Environ* 2020. 1420326X19900213.
- [Siswanto et al. ()] ‘Sansevieria trifasciata and Chlorophytum comosum botanical biofilter for cigarette smoke phytoremediation in a pilot-scale experiment-evaluation of multi-pollutant removal efficiency and CO₂ emission’. D Siswanto , B H Permana , C Treesubuntorn , P Thiravetyan . *Air Qual. Atmosphere Health* 2020. 13 (1) p. .
- [Amanat and Krammer ()] ‘SARS-CoV-2 Vaccines: Status Report’. F Amanat , F Krammer . *Immunity* 2020. 52 (4) p. .
- [Oliveira et al. ()] ‘Structure and antiviral activity of arabinogalactan with (1?6)-?-d-galactan core from *Stevia rebaudiana* leaves’. A J B Oliveira , De , L M C Cordeiro , R A C Gonçalves , L F Ceole , T Ueda-Nakamura , M Iacomini . *Carbohydr. Polym* 2013. 94 (1) p. .
- [Xu et al. ()] ‘Systematic Comparison of Two Animal-to-Human Transmitted Human Coronaviruses: SARS-CoV-2 and SARS-CoV’. J Xu , S Zhao , T Teng , A E Abdalla , W Zhu , L Xie , Y Wang , X Guo . *Viruses* 2020. 12 (2) p. 244.
- [The Importance of Non-pharmacologic Interventions for the Prevention of] *The Importance of Non-pharmacologic Interventions for the Prevention of, COVID-19.*
- [Golechha ()] ‘Time to realise the true potential of Ayurveda against COVID-19’. M Golechha . *Brain. Behav. Immun* 2020. 87 p. .
- [Du et al. ()] ‘Traditional Chinese Medicine: an effective treatment for 2019 novel coronavirus pneumonia (NCP). Chin’. H.-Z Du , X.-Y Hou , Y.-H Miao , B.-S Huang , D.-H Liu . *J. Nat. Med* 2020. 18 (3) p. .
- [Shim ()] *Traditional Korean medicine rates high among COVID-19 patients*, E Shim . 2020. UPI.
- [Das ()] *Traditional-medicine-Information-Collective-TIC*, S Das . 12/12/2020. 2020.
- [Cucinotta and Vanelli ()] ‘WHO Declares COVID-19 a Pandemic’. D Cucinotta , M Vanelli . *Acta Bio-Medica AteneiParm* 2020. 91 (1) p. .
- [ZhonghuaJie He He Hu Xi Za ZhiZhonghuaJiehe He HuxiZazhi Chin J. Tuberc. Respir. Dis] ‘ZhonghuaJie He He Hu Xi Za ZhiZhonghuaJiehe He HuxiZazhi Chin’. *J. Tuberc. Respir. Dis* 43 (0) p. E002.